

Country-wise and Item-wise Exports of Processed Minerals

Value Rs. Lakh Quantity in '000 Unit: Kgs

Source: MoC Export Import Data Bank

Country	CAPEXIL Description	HS Codes	Value 2010-2011	Qty 2010-2011
<b>AFGHANISTAN TIS</b>			<b>0.15</b>	<b>2.04</b>
	<b>Processed Minerals n.e.s</b>		<b>0.15</b>	<b>2.04</b>
		25083030	0.15	2.04
		25083090	0	0
<b>ALGERIA</b>			<b>46.38</b>	<b>437.1</b>
	<b>Aluminium hydrate</b>		<b>0</b>	<b>0</b>
		28183000	0	0
	<b>Calcined alumina ( including other aluminium oxide)</b>		<b>0.05</b>	<b>0.1</b>
		28182090	0.05	0.1
	<b>Garnet</b>		<b>22.45</b>	<b>208</b>
		25132030	22.45	208
	<b>Iron oxide</b>		<b>11.53</b>	<b>77</b>
		28211010	11.53	77
	<b>Steatite</b>		<b>12.35</b>	<b>152</b>
		25262000	12.35	152
<b>ANGOLA</b>			<b>191.14</b>	<b>3010.68</b>
	<b>Feldspar</b>		<b>0.73</b>	<b>108.2</b>
		25291010	0.73	108.2
	<b>Garnet</b>		<b>5</b>	<b>48</b>
		25132030	5	48
	<b>Iron oxide</b>		<b>7.67</b>	<b>60</b>
		28211010	7.67	60
	<b>Kaolin</b>		<b>163.76</b>	<b>2550.48</b>
		25070029	163.76	2550.48
	<b>Natural Graphite</b>		<b>0</b>	<b>0</b>
		25041090	0	0
	<b>Processed Minerals n.e.s</b>		<b>0</b>	<b>0</b>
		25083090	0	0
		25301020	0	0
	<b>Quartz</b>		<b>8.52</b>	<b>150</b>
		25062090	8.52	150
	<b>Sillimanite</b>		<b>0.34</b>	<b>50</b>

<b>ANGOLA</b>	<b>Sillimanite</b>	25085039	0.34	50
	<b>Steatite</b>		5.12	44
		25262000	5.12	44
<b>ARGENTINA</b>			<b>165.72</b>	<b>1399.3</b>
	<b>Aluminium hydrate</b>		120.52	838
		28183000	120.52	838
	<b>Bentonite</b>		6.13	45
		25081090	6.13	45
	<b>Garnet</b>		33.88	466
		25132030	33.88	466
	<b>Iron oxide</b>		2	10.3
		28211010	2	10.3
	<b>Quartz</b>		0	0
		25062090	0	0
	<b>Steatite</b>		3.19	40
		25262000	3.19	40
<b>AUSTRALIA</b>			<b>2286.86</b>	<b>111608.06</b>
	<b>Aluminium hydrate</b>		105.89	134.09
		28183000	105.89	134.09
	<b>Ball Clay</b>		0.04	12.74
		25084010	0.04	12.74
	<b>Barytes</b>		189.03	3330.5
		25111010	5.67	60
		25111020	183.36	3270.5
	<b>Bentonite</b>		879.91	23363.13
		25081010	39.63	600
		25081090	840.28	22763.13
	<b>Calcined alumina ( including other aluminium oxide)</b>		0.01	0.03
		28182090	0.01	0.03
	<b>Feldspar</b>		201.89	3141.96
		25291010	6.91	124
		25291020	194.98	3017.96
	<b>Garnet</b>		804.3	10003
		25132030	804.3	10003
	<b>Iron oxide</b>		0.01	0.1
		25309070	0	0
		28211010	0.01	0.1

**AUSTRALIA**

<b>Kaolin</b>		<b>3.5</b>	<b>17</b>
	25070029	3.5	17
<b>Natural Graphite</b>		<b>26.24</b>	<b>16.5</b>
	25049090	26.24	16.5
<b>Processed Minerals n.e.s</b>		<b>17.05</b>	<b>71151.39</b>
	25059000	0.08	4
	25083030	0.02	0.31
	25083090	2.63	20
	25084090	2.72	31.08
	25199040	0	0
	25301090	11.6	71096
	26140039	0	0
<b>Silica Sand</b>		<b>0.34</b>	<b>12.62</b>
	25051019	0.34	12.62
<b>Steatite</b>		<b>0</b>	<b>0</b>
	25261010	0	0
<b>Wollastonite</b>		<b>58.65</b>	<b>425</b>
	25309050	58.65	425

**AUSTRIA**

		<b>6.37</b>	<b>54</b>
<b>Barytes</b>		<b>5.63</b>	<b>52</b>
	25111010	5.63	52
<b>Bentonite</b>		<b>0</b>	<b>0</b>
	25081090	0	0
<b>Calcined alumina ( including other aluminium oxide)</b>		<b>0.5</b>	<b>1</b>
	28182010	0.5	1
<b>Calcined Bauxite</b>		<b>0</b>	<b>0</b>
	26060020	0	0
<b>Iron oxide</b>		<b>0</b>	<b>0</b>
	25309070	0	0
<b>Kaolin</b>		<b>0</b>	<b>0</b>
	25070029	0	0
<b>Steatite</b>		<b>0.24</b>	<b>1</b>
	25262000	0.24	1

**AZERBAIJAN**

		<b>0</b>	<b>0</b>
<b>Processed Minerals n.e.s</b>		<b>0</b>	<b>0</b>
	25059000	0	0
	25083030	0	0

<b>BAHARAIN IS</b>		<b>252880.32</b>	<b>1592828.2</b>
<b>Barytes</b>		<b>335.38</b>	<b>6209.26</b>
	25111010	0	0
	25111020	335.38	6209.26
<b>Bentonite</b>		<b>353.15</b>	<b>24097.64</b>
	25081090	353.15	24097.64
<b>Calcined alumina ( including other aluminium oxide)</b>		<b>251950.23</b>	<b>1559719.06</b>
	28182010	251948.43	1559716
	28182090	1.8	3.06
<b>Dolomite</b>		<b>1.7</b>	<b>27</b>
	25183000	1.7	27
<b>Feldspar</b>		<b>0</b>	<b>0</b>
	25291020	0	0
<b>Garnet</b>		<b>102.79</b>	<b>1512</b>
	25132030	102.79	1512
<b>Iron oxide</b>		<b>1.72</b>	<b>10</b>
	28211010	1.72	10
<b>Kaolin</b>		<b>17.91</b>	<b>201.48</b>
	25070029	17.91	201.48
<b>Processed Minerals n.e.s</b>		<b>96.44</b>	<b>800.98</b>
	25059000	9.33	105
	25083030	0	0.02
	25083090	1.8	42.19
	25084020	0	0
	25084090	0	0
	25090000	0.41	5
	25199040	76.09	546.06
	25199090	1.62	8.7
	25201010	7.19	94
	25301090	0	0.01
<b>Quartz</b>		<b>0</b>	<b>0</b>
	25061010	0	0
	25062090	0	0
<b>Silica Sand</b>		<b>9.84</b>	<b>112</b>
	25051019	9.84	112
<b>Steatite</b>		<b>11.16</b>	<b>138.78</b>
	25262000	11.16	138.78
<b>BANGLADESH PR</b>		<b>5434.09</b>	<b>211209.51</b>
<b>Aluminium hydrate</b>		<b>38.21</b>	<b>43</b>
	28183000	38.21	43

**BANGLADESH**

<b>Ball Clay</b>		<b>523.65</b>	<b>16177.8</b>
	25084010	523.65	16177.8
<b>Barytes</b>		<b>57.71</b>	<b>1349.28</b>
	25111010	3.38	200
	25111020	53.93	1056.18
	25111090	0.4	93.1
<b>Bentonite</b>		<b>52.45</b>	<b>607.06</b>
	25081010	36.87	200.8
	25081090	15.58	406.26
<b>Calcined alumina ( including other aluminium oxide)</b>		<b>47.18</b>	<b>141.53</b>
	28182010	32.7	101.65
	28182090	14.48	39.88
<b>Calcined Bauxite</b>		<b>0</b>	<b>0</b>
	26060020	0	0
<b>Calcined Magnesite</b>		<b>7.55</b>	<b>55</b>
	25191000	3.86	28
	25199030	3.69	27
<b>Dolomite</b>		<b>183.41</b>	<b>6104.51</b>
	25181000	183.12	6059.51
	25182000	0.29	45
	25183000	0	0
<b>Feldspar</b>		<b>1719.47</b>	<b>70172.74</b>
	25291010	1305.38	56654.51
	25291020	414.09	13518.23
<b>Iron oxide</b>		<b>14.02</b>	<b>85.25</b>
	28211010	14.02	85.25
<b>Kaolin</b>		<b>615.09</b>	<b>21870.3</b>
	25070010	228.68	6723.12
	25070022	17.4	625
	25070029	369.01	14522.18
<b>Manganese dioxide</b>		<b>19.03</b>	<b>107</b>
	28201000	19.03	107
<b>Natural Graphite</b>		<b>0</b>	<b>0</b>
	25041090	0	0
<b>Processed Minerals n.e.s</b>		<b>1309.59</b>	<b>64381.04</b>
	25059000	0	0
	25083010	26.39	1790
	25083090	59.18	3900
	25084020	1.32	60

<b>BANGLADESH</b>	<b>Processed Minerals n.e.s</b>		
	25084090	210.06	6635.38
	25090000	0.27	37.5
	25199040	0	0
	25199090	5.43	35
	25201010	352.39	26101.76
	25201020	0	0
	25201090	331.85	24877.66
	25301010	3.29	68.74
	25301090	3.94	7
	25309030	4.46	54
	26140031	306.41	803
	26140039	4.6	11
	<b>Quartz</b>	<b>625.94</b>	<b>26030.98</b>
	25061010	211.08	9091.1
	25061020	367.01	14822
	25062010	18.03	1290
	25062020	19.81	440
	25062090	10.01	387.88
	<b>Silica Sand</b>	<b>0</b>	<b>0</b>
	25051019	0	0
	<b>Sillimanite</b>	<b>0</b>	<b>0</b>
	25085039	0	0
	<b>Steatite</b>	<b>218.77</b>	<b>4064.02</b>
	25261010	15.79	848
	25261020	25.74	1035.96
	25262000	177.24	2180.06
	<b>Wollastonite</b>	<b>2.02</b>	<b>20</b>
	25309050	2.02	20
<b>BELARUS</b>		<b>3.31</b>	<b>18.4</b>
	<b>Iron oxide</b>	<b>1.17</b>	<b>0.4</b>
	28211010	1.17	0.4
	<b>Steatite</b>	<b>2.14</b>	<b>18</b>
	25262000	2.14	18
<b>BELGIUM</b>		<b>1654.94</b>	<b>15419.65</b>
	<b>Barytes</b>	<b>0</b>	<b>0</b>
	25111020	0	0
	<b>Bentonite</b>	<b>43.87</b>	<b>1029.5</b>
	25081090	43.87	1029.5
	<b>Calcined alumina ( including other aluminium oxide)</b>	<b>163.4</b>	<b>659.15</b>
	28182010	163.22	659.12
	28182090	0.18	0.03

<b>BELGIUM</b>	<b>Calcined Bauxite</b>		<b>0</b>	<b>0</b>
		26060020	0	0
	<b>Calcined Magnesite</b>		<b>3.43</b>	<b>54</b>
		25191000	3.43	54
	<b>Feldspar</b>		<b>15.18</b>	<b>350</b>
		25291020	15.18	350
	<b>Garnet</b>		<b>40.06</b>	<b>596.54</b>
		25132030	40.06	596.54
	<b>Ilmenite</b>		<b>0.3</b>	<b>5</b>
		26140010	0.3	5
	<b>Kaolin</b>		<b>0</b>	<b>0</b>
		25070029	0	0
	<b>Natural Graphite</b>		<b>18.94</b>	<b>35.62</b>
		25041090	12.13	22.58
		25049090	6.81	13.04
	<b>Processed Minerals n.e.s</b>		<b>13.02</b>	<b>152.88</b>
		25301010	13.02	152.88
	<b>Quartz</b>		<b>16.03</b>	<b>108</b>
		25061010	3.76	54
		25062090	12.27	54
	<b>Sillimanite</b>		<b>0.78</b>	<b>2</b>
		25085032	0.78	2
	<b>Steatite</b>		<b>129.73</b>	<b>1699.97</b>
		25261010	0	0
		25261020	29.25	196
		25262000	100.48	1503.97
	<b>Wollastonite</b>		<b>1210.2</b>	<b>10726.99</b>
		25309050	1210.2	10726.99
<b>BENIN</b>			<b>225.02</b>	<b>5362.73</b>
	<b>Aluminium hydrate</b>		<b>0.19</b>	<b>0.25</b>
		28183000	0.19	0.25
	<b>Barytes</b>		<b>175.44</b>	<b>3993.82</b>
		25111020	175.44	3993.82
	<b>Bentonite</b>		<b>39.31</b>	<b>1297.76</b>
		25081090	39.31	1297.76
	<b>Iron oxide</b>		<b>0</b>	<b>0</b>
		28211010	0	0

<b>BENIN</b>			
<b>Processed Minerals n.e.s</b>		<b>10.08</b>	<b>70.9</b>
	25083030	0.69	20.9
	25084090	0	0
	25199040	9.39	50
<b>BHUTAN</b>		<b>282.11</b>	<b>21496.73</b>
<b>Dolomite</b>		<b>0</b>	<b>0</b>
	25182000	0	0
<b>Processed Minerals n.e.s</b>		<b>2.8</b>	<b>270</b>
	25059000	0	0
	25201090	2.8	270
<b>Quartz</b>		<b>279.31</b>	<b>21226.73</b>
	25051020	0	0
	25061010	232.55	17652
	25061020	40.54	2976.73
	25062010	0	0
	25062090	6.22	598
<b>BOTSWANA</b>		<b>0</b>	<b>0</b>
<b>Processed Minerals n.e.s</b>		<b>0</b>	<b>0</b>
	25090000	0	0
<b>BRAZIL</b>		<b>3114.52</b>	<b>102934.02</b>
<b>Aluminium hydrate</b>		<b>29.08</b>	<b>19.5</b>
	28183000	29.08	19.5
<b>Barytes</b>		<b>814.86</b>	<b>19124.16</b>
	25111010	0	0
	25111020	814.86	19124.16
<b>Bentonite</b>		<b>2123.56</b>	<b>81884.41</b>
	25081090	2123.56	81884.41
<b>Calcined alumina ( including other aluminium oxide)</b>		<b>0</b>	<b>0</b>
	28182010	0	0
<b>Calcined Bauxite</b>		<b>4.71</b>	<b>20</b>
	26060020	4.71	20
<b>Garnet</b>		<b>140.33</b>	<b>1875</b>
	25132030	140.33	1875
<b>Iron oxide</b>		<b>1.79</b>	<b>10</b>
	28211010	1.79	10
<b>Kaolin</b>		<b>0.16</b>	<b>0.75</b>
	25070029	0.16	0.75
<b>Processed Minerals n.e.s</b>		<b>0</b>	<b>0</b>



<b>BRAZIL</b>	<b>Processed Minerals n.e.s</b>	25084090	0	0
		25301010	0	0
	<b>Steatite</b>		<b>0.03</b>	<b>0.2</b>
		25262000	0.03	0.2
<b>BRUNEI</b>			<b>142.27</b>	<b>2206</b>
	<b>Barytes</b>		<b>50.63</b>	<b>1085.84</b>
		25111020	50.63	1085.84
	<b>Bentonite</b>		<b>5.4</b>	<b>126.16</b>
		25081090	5.4	126.16
	<b>Garnet</b>		<b>86.24</b>	<b>994</b>
		25132030	86.24	994
<b>BULGARIA</b>			<b>8.23</b>	<b>71</b>
	<b>Aluminium hydrate</b>		<b>1.41</b>	<b>1</b>
		28183000	1.41	1
	<b>Bentonite</b>		<b>2.97</b>	<b>22</b>
		25081090	2.97	22
	<b>Garnet</b>		<b>3.85</b>	<b>48</b>
		25132030	3.85	48
	<b>Iron oxide</b>		<b>0</b>	<b>0</b>
		25309060	0	0
<b>BURKINA FASO</b>			<b>20.44</b>	<b>672</b>
	<b>Kaolin</b>		<b>19.02</b>	<b>575</b>
		25070029	19.02	575
	<b>Processed Minerals n.e.s</b>		<b>1.42</b>	<b>97</b>
		25083010	1.42	97
<b>BURUNDI</b>			<b>5.87</b>	<b>23.52</b>
	<b>Natural Graphite</b>		<b>5.87</b>	<b>23.52</b>
		25049090	5.87	23.52
<b>CAMBODIA</b>			<b>0</b>	<b>0</b>
	<b>Processed Minerals n.e.s</b>		<b>0</b>	<b>0</b>
		25201090	0	0
<b>CAMEROON</b>			<b>330.9</b>	<b>7421.87</b>
	<b>Barytes</b>		<b>299.77</b>	<b>6574.7</b>
		25111020	299.77	6574.7
	<b>Bentonite</b>		<b>7.9</b>	<b>418.09</b>
		25081090	7.9	418.09
	<b>Dolomite</b>		<b>0.98</b>	<b>25.48</b>

<b>CAMEROON</b>				
<b>Dolomite</b>	25183000		0.98	25.48
<b>Iron oxide</b>			10	177.12
	25309060		6.43	108
	28211010		3.57	69.12
<b>Kaolin</b>			0.03	1.24
	25070029		0.03	1.24
<b>Natural Graphite</b>			0.37	1
	25049090		0.37	1
<b>Processed Minerals n.e.s</b>			9.91	202.24
	25083090		7.63	183.24
	25084090		2.28	19
<b>Steatite</b>			1.94	22
	25262000		1.94	22

<b>CANADA</b>			692.75	7247.1
<b>Aluminium hydrate</b>			18.42	37.89
	28183000		18.42	37.89
<b>Bentonite</b>			33.88	480
	25081090		33.88	480
<b>Calcined alumina ( including other aluminium oxide)</b>			169.53	706.91
	28182010		166.8	703.91
	28182090		2.73	3
<b>Calcined Magnesite</b>			5.78	19
	25191000		5.78	19
<b>Garnet</b>			358.62	4814.18
	25132030		358.62	4814.18
<b>Iron oxide</b>			0.96	1.2
	25309060		0.96	1.2
<b>Kaolin</b>			1.48	27.72
	25070010		0.11	13.72
	25070029		1.37	14
<b>Manganese dioxide</b>			0.6	2
	28201000		0.6	2
<b>Natural Graphite</b>			3.83	26.66
	25041090		3.83	26.66
	25049090		0	0
<b>Processed Minerals n.e.s</b>			26.24	312.75
	25059000		22.28	230

<b>CANADA</b>	<b>Processed Minerals n.e.s</b>			
		25083010	0.09	6.59
		25083030	0.03	0.23
		25083090	0.48	26
		25084020	0.54	20
		25084090	0.38	10.88
		25090000	0.19	4
		25301090	2.25	15.05
	<b>Quartz</b>		<b>11.63</b>	<b>175</b>
		25061020	11.63	175
	<b>Silica Sand</b>		<b>0</b>	<b>0</b>
		25051011	0	0
	<b>Sillimanite</b>		<b>0.07</b>	<b>1.5</b>
		25085039	0.07	1.5
	<b>Steatite</b>		<b>58.06</b>	<b>601.13</b>
		25261010	0.13	0.8
		25261020	3.63	20
		25262000	54.3	580.33
	<b>Wollastonite</b>		<b>3.65</b>	<b>41.16</b>
		25309050	3.65	41.16
<b>CHAD</b>			<b>10.23</b>	<b>144</b>
	<b>Steatite</b>		<b>10.23</b>	<b>144</b>
		25262000	10.23	144
<b>CHILE</b>			<b>28.44</b>	<b>104.16</b>
	<b>Aluminium hydrate</b>		<b>6.27</b>	<b>20.99</b>
		28183000	6.27	20.99
	<b>Calcined alumina ( including other aluminium oxide)</b>		<b>22.07</b>	<b>81.19</b>
		28182010	22.07	81.19
	<b>Garnet</b>		<b>0</b>	<b>0</b>
		25132030	0	0
	<b>Iron oxide</b>		<b>0</b>	<b>0</b>
		28211010	0	0
	<b>Processed Minerals n.e.s</b>		<b>0</b>	<b>1.18</b>
		25083090	0	1.18
	<b>Steatite</b>		<b>0.1</b>	<b>0.8</b>
		25262000	0.1	0.8
<b>CHINA P RP</b>			<b>130400.08</b>	<b>1766487.5</b>
	<b>Aluminium hydrate</b>		<b>2.58</b>	<b>3</b>
		28183000	2.58	3

CHINA P RP				
<b>Bentonite</b>			<b>623.47</b>	<b>14267.73</b>
	25081090		623.47	14267.73
<b>Calcined alumina ( including other aluminium oxide)</b>			<b>66024.69</b>	<b>433238.84</b>
	28182010		66002.58	433227.44
	28182090		22.11	11.4
<b>Calcined Bauxite</b>			<b>16.72</b>	<b>150</b>
	26060020		16.72	150
<b>Dolomite</b>			<b>0.2</b>	<b>4</b>
	25181000		0.2	4
<b>Feldspar</b>			<b>822.21</b>	<b>21036.1</b>
	25291010		108.45	2455
	25291020		713.76	18581.1
<b>Garnet</b>			<b>127.14</b>	<b>1981</b>
	25132030		127.14	1981
<b>Ilmenite</b>			<b>61406.16</b>	<b>1273134.13</b>
	26140010		61406.16	1273134.13
<b>Iron oxide</b>			<b>209.13</b>	<b>3449.88</b>
	28211010		209.13	3449.88
<b>Kaolin</b>			<b>0.01</b>	<b>0.33</b>
	25070010		0.01	0.28
	25070029		0	0.05
<b>Natural Graphite</b>			<b>1.45</b>	<b>1</b>
	25049090		1.45	1
<b>Processed Minerals n.e.s</b>			<b>64.38</b>	<b>200.13</b>
	25059000		0	0
	25083030		0	0
	25084090		0.29	10
	25090000		0	0
	25199040		2.85	55.77
	25201010		0	0
	25201090		0.02	0.24
	25301010		3.63	43.12
	25301020		41.09	49
	25301090		6.16	14
	26140031		10.34	28
<b>Quartz</b>			<b>124.2</b>	<b>1842.53</b>
	25061010		104.39	1601.96
	25061020		2.67	113.57
	25062090		17.14	127
<b>Silica Sand</b>			<b>0.03</b>	<b>1.52</b>

<b>CHINA P RP</b>	<b>Silica Sand</b>	25051019	0.03	1.52
	<b>Sillimanite</b>		114.45	1220.06
		25085032	106.41	1166.06
		25085039	8.04	54
	<b>Steatite</b>		860.4	15941.25
		25261010	11.18	86.25
		25261020	6.9	45
		25262000	842.32	15810
	<b>Wollastonite</b>		2.86	16
		25309050	2.86	16
<b>COLOMBIA</b>			<b>1577.83</b>	<b>47124.52</b>
	<b>Aluminium hydrate</b>		54.81	127
		28183000	54.81	127
	<b>Barytes</b>		1499.44	46670
		25111010	1499.44	46670
		25111020	0	0
	<b>Bentonite</b>		19.58	303.02
		25081090	19.58	303.02
	<b>Garnet</b>		1.44	24
		25132030	1.44	24
	<b>Iron oxide</b>		2.56	0.5
		28211010	2.56	0.5
	<b>Natural Graphite</b>		0	0
		25041090	0	0
	<b>Processed Minerals n.e.s</b>		0	0
		25199040	0	0
	<b>Quartz</b>		0	0
		25062090	0	0
	<b>Wollastonite</b>		0	0
		25309050	0	0
<b>CONGO D. REP.</b>			<b>2.18</b>	<b>152.73</b>
	<b>Kaolin</b>		0.1	0.73
		25070010	0.1	0.73
	<b>Processed Minerals n.e.s</b>		2.08	152
		25083090	2.08	152
<b>CONGO P REP</b>			<b>172.95</b>	<b>2349.77</b>
	<b>Aluminium hydrate</b>		1.51	2.4

<b>CONGO P RE</b>	<b>Aluminium hydrate</b>	28183000	1.51	2.4
	<b>Barytes</b>		5.95	162
		25111010	5.95	162
		25111020	0	0
	<b>Bentonite</b>		2.61	72
		25081090	2.61	72
	<b>Dolomite</b>		0.31	10
		25183000	0.31	10
	<b>Kaolin</b>		7.85	119.14
		25070010	0	0
		25070021	0.06	0.3
		25070029	7.79	118.84
	<b>Processed Minerals n.e.s</b>		2.65	38
		25083090	0.61	27
		25301020	2.04	11
	<b>Quartz</b>		0.71	25.38
		25062090	0.71	25.38
	<b>Steatite</b>		151.36	1920.85
		25262000	151.36	1920.85
<b>COSTA RICA</b>			<b>7.09</b>	<b>63.4</b>
	<b>Bentonite</b>		7.09	63.4
		25081090	7.09	63.4
<b>COTE D' IVOIRE</b>			<b>54.24</b>	<b>569.31</b>
	<b>Ball Clay</b>		0	0
		25084010	0	0
	<b>Bentonite</b>		0.15	4.95
		25081010	0	0
		25081090	0.15	4.95
	<b>Iron oxide</b>		0	0
		28211010	0	0
	<b>Processed Minerals n.e.s</b>		0.28	7.1
		25083090	0.1	0.1
		25084090	0	0
		25301020	0.18	7
	<b>Quartz</b>		0.73	26.52
		25061020	0.73	26.52
	<b>Steatite</b>		53.08	530.74
		25262000	53.08	530.74

**COTE D'IVOIRE  
CROATIA**

		<b>6.61</b>	<b>73.5</b>
<b>Bentonite</b>		<b>2.15</b>	<b>19.4</b>
	25081090	2.15	19.4
<b>Garnet</b>		<b>4.46</b>	<b>54</b>
	25132030	4.46	54
<b>Iron oxide</b>		<b>0</b>	<b>0.1</b>
	28211010	0	0.1

**CUBA**

		<b>484.13</b>	<b>6921.86</b>
<b>Aluminium hydrate</b>		<b>145.67</b>	<b>326.21</b>
	28183000	145.67	326.21
<b>Barytes</b>		<b>326.88</b>	<b>6395</b>
	25111020	326.88	6395
<b>Bentonite</b>		<b>11.22</b>	<b>200</b>
	25081090	11.22	200
<b>Calcined Bauxite</b>		<b>0</b>	<b>0</b>
	26060020	0	0
<b>Iron oxide</b>		<b>0</b>	<b>0</b>
	28211010	0	0
<b>Kaolin</b>		<b>0.36</b>	<b>0.65</b>
	25070029	0.36	0.65

**CYPRUS**

		<b>9.72</b>	<b>198</b>
<b>Bentonite</b>		<b>4.72</b>	<b>129</b>
	25081090	4.72	129
<b>Garnet</b>		<b>5</b>	<b>69</b>
	25132030	5	69
<b>Manganese dioxide</b>		<b>0</b>	<b>0</b>
	28201000	0	0
<b>Quartz</b>		<b>0</b>	<b>0</b>
	25062090	0	0

**CZECH REPUBLIC**

		<b>26.29</b>	<b>294.32</b>
<b>Garnet</b>		<b>3.84</b>	<b>50</b>
	25132030	3.84	50
<b>Processed Minerals n.e.s</b>		<b>0.11</b>	<b>4.32</b>
	25083030	0.11	4.32
<b>Quartz</b>		<b>22.34</b>	<b>240</b>
	25062090	22.34	240

**CZECH REPUBLIC**  
**DENMARK**

	<b>123.97</b>	<b>1413.56</b>
<b>Aluminium hydrate</b>	<b>25.14</b>	<b>54</b>
28183000	25.14	54
<b>Bentonite</b>	<b>45.71</b>	<b>576</b>
25081090	45.71	576
<b>Calcined Magnesite</b>	<b>0.28</b>	<b>1.46</b>
25191000	0.28	1.46
<b>Garnet</b>	<b>52.83</b>	<b>781.98</b>
25132030	52.83	781.98
<b>Iron oxide</b>	<b>0</b>	<b>0</b>
25309070	0	0
<b>Processed Minerals n.e.s</b>	<b>0.01</b>	<b>0.12</b>
25083030	0	0
25301010	0.01	0.12
<b>Steatite</b>	<b>0</b>	<b>0</b>
25261010	0	0

**DJIBOUTI**

	<b>239.62</b>	<b>3039.56</b>
<b>Aluminium hydrate</b>	<b>1.77</b>	<b>18.91</b>
28183000	1.77	18.91
<b>Barytes</b>	<b>1.4</b>	<b>27</b>
25111010	0	0
25111020	1.4	27
<b>Bentonite</b>	<b>8.64</b>	<b>205</b>
25081090	8.64	205
<b>Calcined alumina ( including other aluminium oxide)</b>	<b>50.35</b>	<b>391.71</b>
28182010	50.35	391.71
<b>Calcined Magnesite</b>	<b>22.37</b>	<b>156</b>
25191000	22.37	156
25199030	0	0
<b>Dolomite</b>	<b>19.62</b>	<b>438.77</b>
25181000	14.24	314.77
25182000	4.51	98
25183000	0.87	26
<b>Iron oxide</b>	<b>11.75</b>	<b>84</b>
25309070	2.84	35
28211010	8.91	49
<b>Kaolin</b>	<b>27.33</b>	<b>110</b>



<b>DJIBOUTI</b>	<b>Kaolin</b>	25070029	27.33	110
	<b>Natural Graphite</b>		0.17	2
		25041010	0.09	1
		25041090	0.08	1
	<b>Processed Minerals n.e.s</b>		29.82	419.86
		25059000	6.39	160
		25083090	0.61	28.47
		25084090	0.03	1.6
		25090000	0.45	24.6
		25199040	21.94	190.42
		25199090	0.09	2
		25309030	0.31	12.77
	<b>Quartz</b>		18.31	491.54
		25061020	18.31	491.54
		25062090	0	0
	<b>Steatite</b>		48.09	694.77
		25262000	48.09	694.77
<b>DOMINIC REP</b>			7.86	18
	<b>Aluminium hydrate</b>		7.86	18
		28183000	7.86	18
<b>ECUADOR</b>			0.17	1
	<b>Aluminium hydrate</b>		0	0
		28183000	0	0
	<b>Processed Minerals n.e.s</b>		0.17	1
		25084020	0.17	1
<b>EGYPT A RP</b>			133227.28	799719.63
	<b>Aluminium hydrate</b>		2.91	3.5
		28183000	2.91	3.5
	<b>Ball Clay</b>		1.18	28
		25084010	1.18	28
	<b>Barytes</b>		0	0
		25111020	0	0
	<b>Bentonite</b>		5.39	81.03
		25081090	5.39	81.03
	<b>Calcined alumina ( including other aluminium oxides)</b>		132874.82	795907.49
		28182010	132872.01	795904.88
		28182090	2.81	2.61
	<b>Calcined Bauxite</b>		0	0
		26060020	0	0

**EGYPT A RP**

<b>Calcined Magnesite</b>		<b>3.83</b>	<b>27.17</b>
	25191000	3.83	27.17
<b>Feldspar</b>		<b>14.68</b>	<b>213</b>
	25291020	14.68	213
<b>Garnet</b>		<b>22.38</b>	<b>250</b>
	25132030	22.38	250
<b>Iron oxide</b>		<b>0.09</b>	<b>1.49</b>
	28211010	0.09	1.49
<b>Kaolin</b>		<b>131.71</b>	<b>1984.31</b>
	25070029	131.71	1984.31
<b>Natural Graphite</b>		<b>0.63</b>	<b>0.65</b>
	25041090	0.63	0.65
<b>Processed Minerals n.e.s</b>		<b>53.31</b>	<b>263.03</b>
	25059000	18.61	44.9
	25083030	0	0
	25084090	0.08	0.4
	25090000	0.44	8
	25199040	11.76	69.17
	25199090	22.42	140.56
<b>Quartz</b>		<b>13.81</b>	<b>183.96</b>
	25061020	8.41	130
	25062090	5.4	53.96
<b>Steatite</b>		<b>102.54</b>	<b>776</b>
	25262000	102.54	776

**EL SALVADOR**

		<b>31.57</b>	<b>543.59</b>
<b>Bentonite</b>		<b>28.96</b>	<b>475.17</b>
	25081090	28.96	475.17
<b>Silica Sand</b>		<b>2.61</b>	<b>68.42</b>
	25051019	2.61	68.42

**ERITREA**

		<b>3.66</b>	<b>78.8</b>
<b>Processed Minerals n.e.s</b>		<b>1.48</b>	<b>39.4</b>
	25084090	1.48	39.4
<b>Steatite</b>		<b>2.18</b>	<b>39.4</b>
	25262000	2.18	39.4

**ESTONIA**

		<b>8.99</b>	<b>137.84</b>
<b>Garnet</b>		<b>8.69</b>	<b>137</b>
	25132030	8.69	137

<b>ESTONIA</b>	<b>Natural Graphite</b>		<b>0.3</b>	<b>0.84</b>
		25041090	0.3	0.84
<b>ETHIOPIA</b>			<b>71.1</b>	<b>579.02</b>
	<b>Aluminium hydrate</b>		<b>36.96</b>	<b>240</b>
		28183000	36.96	240
	<b>Bentonite</b>		<b>1.82</b>	<b>20.2</b>
		25081090	1.82	20.2
	<b>Calcined alumina ( including other aluminium oxide)</b>		<b>2.57</b>	<b>25.53</b>
		28182010	2.57	25.53
	<b>Calcined Magnesite</b>		<b>8.13</b>	<b>50</b>
		25191000	8.13	50
	<b>Iron oxide</b>		<b>0</b>	<b>0</b>
		28211010	0	0
	<b>Natural Graphite</b>		<b>0.1</b>	<b>0.25</b>
		25041020	0	0
		25041090	0.1	0.25
	<b>Processed Minerals n.e.s</b>		<b>8.88</b>	<b>77.65</b>
		25083090	0	0
		25084090	0.06	0.19
		25199040	0	0
		25199090	8.77	75.46
		25301090	0.05	2
	<b>Quartz</b>		<b>1.52</b>	<b>48</b>
		25061020	1.52	48
	<b>Silica Sand</b>		<b>0</b>	<b>0</b>
		25051019	0	0
	<b>Steatite</b>		<b>11.12</b>	<b>117.39</b>
		25262000	11.12	117.39
<b>FIJI IS</b>			<b>0.15</b>	<b>3.06</b>
	<b>Processed Minerals n.e.s</b>		<b>0.1</b>	<b>2.22</b>
		25059000	0.05	1.19
		25083090	0.05	1.03
		25084090	0	0
	<b>Steatite</b>		<b>0.05</b>	<b>0.84</b>
		25261010	0.05	0.84
		25262000	0	0
<b>FINLAND</b>			<b>342.4</b>	<b>5506.3</b>
	<b>Bentonite</b>		<b>202.35</b>	<b>3351.59</b>
		25081090	202.35	3351.59

**FINLAND**

<b>Feldspar</b>		<b>0.06</b>	<b>20.26</b>
	25291020	0.06	20.26
<b>Garnet</b>		<b>139.35</b>	<b>2109.95</b>
	25132030	139.35	2109.95
<b>Quartz</b>		<b>0.64</b>	<b>24.5</b>
	25062090	0.64	24.5

**FRANCE**

		<b>396.19</b>	<b>4326.96</b>
<b>Aluminium hydrate</b>		<b>0</b>	<b>0.01</b>
	28183000	0	0.01
<b>Bentonite</b>		<b>94.76</b>	<b>882.53</b>
	25081090	94.76	882.53
<b>Calcined Bauxite</b>		<b>113</b>	<b>480</b>
	26060020	113	480
<b>Feldspar</b>		<b>0.01</b>	<b>0.1</b>
	25291010	0.01	0.1
<b>Garnet</b>		<b>100.01</b>	<b>1606</b>
	25132030	100.01	1606
<b>Iron oxide</b>		<b>11.44</b>	<b>72</b>
	28211010	11.44	72
<b>Kaolin</b>		<b>0</b>	<b>0</b>
	25070029	0	0
<b>Manganese dioxide</b>		<b>0.18</b>	<b>5</b>
	28201000	0.18	5
<b>Natural Graphite</b>		<b>0</b>	<b>0</b>
	25049090	0	0
<b>Processed Minerals n.e.s</b>		<b>18.14</b>	<b>141.77</b>
	25059000	0.02	0.13
	25083030	0.17	3.43
	25084090	0.08	3.43
	25090000	0	0.28
	25199040	17.68	132
	25301010	0.19	2.5
<b>Quartz</b>		<b>8.16</b>	<b>25.46</b>
	25061010	0	0.14
	25062090	8.16	25.32
<b>Silica Sand</b>		<b>47.22</b>	<b>1082.09</b>
	25051019	47.22	1082.09

<b>FRANCE</b>			
<b>Steatite</b>		3.27	32
	25262000	3.27	32
<b>GABON</b>		<b>42</b>	<b>761.5</b>
<b>Barytes</b>		33.17	621.5
	25111020	33.17	621.5
<b>Processed Minerals n.e.s</b>		8.83	140
	25083090	8.83	140
<b>GAMBIA</b>		<b>5.2</b>	<b>101.91</b>
<b>Kaolin</b>		0	0
	25070029	0	0
<b>Silica Sand</b>		0.12	15.1
	25051019	0.12	15.1
<b>Steatite</b>		5.08	86.81
	25262000	5.08	86.81
<b>GEORGIA</b>		<b>2.24</b>	<b>54</b>
<b>Bentonite</b>		0	0
	25081090	0	0
<b>Calcined alumina ( including other aluminium oxide)</b>		0	0
	28182010	0	0
<b>Processed Minerals n.e.s</b>		0	0
	25083010	0	0
	25083020	0	0
<b>Quartz</b>		2.24	54
	25061010	0	0
	25061020	2.24	54
<b>GERMANY</b>		<b>2589.07</b>	<b>26143.56</b>
<b>Aluminium hydrate</b>		143.05	200.5
	28183000	143.05	200.5
<b>Barytes</b>		0	0
	25111020	0	0
<b>Bentonite</b>		6.01	123.99
	25081090	6.01	123.99
<b>Calcined alumina ( including other aluminium oxide)</b>		12.84	20.35
	28182010	0	0
	28182090	12.84	20.35
<b>Calcined Bauxite</b>		0.1	1.3
	26060020	0.1	1.3

## GERMANY

<b>Calcined Magnesite</b>		<b>0</b>	<b>0</b>
	25199030	0	0
<b>Feldspar</b>		<b>2.14</b>	<b>24</b>
	25291010	2.14	24
	25291020	0	0
<b>Garnet</b>		<b>714.63</b>	<b>10266.03</b>
	25132030	714.63	10266.03
<b>Ilmenite</b>		<b>246.3</b>	<b>4032</b>
	26140010	246.3	4032
<b>Iron oxide</b>		<b>6.46</b>	<b>25.1</b>
	25309060	0	0
	25309070	5.91	20
	28211010	0.55	5.1
<b>Kaolin</b>		<b>585.13</b>	<b>4621.42</b>
	25070010	2.01	18
	25070029	583.12	4603.42
<b>Manganese dioxide</b>		<b>0</b>	<b>0</b>
	28201000	0	0
<b>Natural Graphite</b>		<b>119.46</b>	<b>171.3</b>
	25041090	21.18	74
	25049090	98.28	97.3
<b>Processed Minerals n.e.s</b>		<b>48.11</b>	<b>141.35</b>
	25059000	0.01	0.17
	25083030	0.57	8.8
	25084020	0	0
	25084090	0.79	14.3
	25090000	0	0
	25199010	0	0
	25199020	0	0
	25199040	0.12	0.9
	25199090	5.84	12.36
	25201090	0.03	2.65
	25301090	0.11	0.17
	26140031	40.64	102
<b>Quartz</b>		<b>364.27</b>	<b>4540.92</b>
	25051020	0.57	25
	25061010	75.81	900.61
	25061020	188.53	2664.01
	25062090	99.36	951.3
<b>Silica Sand</b>		<b>0.05</b>	<b>1.49</b>
	25051011	0	0.2

<b>GERMANY</b>	<b>Silica Sand</b>	25051019	0.05	1.29
	<b>Steatite</b>		<b>54.86</b>	<b>354.57</b>
		25261010	1.6	36
		25261020	3.38	22
		25262000	49.88	296.57
	<b>Wollastonite</b>		<b>285.66</b>	<b>1619.24</b>
		25309050	285.66	1619.24
<b>GHANA</b>			<b>146.24</b>	<b>1156.7</b>
	<b>Aluminium hydrate</b>		<b>49.62</b>	<b>65.64</b>
		28183000	49.62	65.64
	<b>Bentonite</b>		<b>10.88</b>	<b>300</b>
		25081090	10.88	300
	<b>Calcined alumina ( including other aluminium oxide)</b>		<b>9.84</b>	<b>26.5</b>
		28182090	9.84	26.5
	<b>Calcined Magnesite</b>		<b>0</b>	<b>0</b>
		25191000	0	0
	<b>Iron oxide</b>		<b>0</b>	<b>0</b>
		28211010	0	0
	<b>Kaolin</b>		<b>0</b>	<b>0</b>
		25070029	0	0
	<b>Natural Graphite</b>		<b>1.36</b>	<b>5</b>
		25041090	1.36	5
		25049090	0	0
	<b>Processed Minerals n.e.s</b>		<b>0.06</b>	<b>2</b>
		25059000	0.01	1
		25083090	0.05	1
		25084090	0	0
		25199040	0	0
		25199090	0	0
	<b>Quartz</b>		<b>1.92</b>	<b>26</b>
		25061020	1.92	26
	<b>Steatite</b>		<b>72.56</b>	<b>731.56</b>
		25262000	72.56	731.56
<b>GREECE</b>			<b>64.5</b>	<b>311.66</b>
	<b>Aluminium hydrate</b>		<b>44.32</b>	<b>60</b>
		28183000	44.32	60
	<b>Bentonite</b>		<b>8.76</b>	<b>166</b>
		25081090	8.76	166

**GREECE**

<b>Iron oxide</b>		<b>0.51</b>	<b>4</b>
	25309070	0.51	4
<b>Kaolin</b>		<b>6.37</b>	<b>40</b>
	25070029	6.37	40
<b>Kyanite</b>		<b>3.39</b>	<b>25</b>
	25085022	3.39	25
<b>Processed Minerals n.e.s</b>		<b>0</b>	<b>0</b>
	25084090	0	0
<b>Quartz</b>		<b>0</b>	<b>0.45</b>
	25061010	0	0.45
	25061020	0	0
<b>Silica Sand</b>		<b>0.49</b>	<b>4.07</b>
	25051011	0.49	4.07
<b>Steatite</b>		<b>0.66</b>	<b>12.14</b>
	25262000	0.66	12.14

**GUATEMALA**

		<b>1.42</b>	<b>10</b>
<b>Natural Graphite</b>		<b>1.42</b>	<b>10</b>
	25041090	1.42	10

**GUINEA**

		<b>40.96</b>	<b>231.89</b>
<b>Barytes</b>		<b>0.66</b>	<b>3.87</b>
	25111020	0.66	3.87
<b>Iron oxide</b>		<b>12.56</b>	<b>18</b>
	28211010	12.56	18
<b>Processed Minerals n.e.s</b>		<b>0</b>	<b>0</b>
	25084090	0	0
<b>Steatite</b>		<b>27.74</b>	<b>210.02</b>
	25262000	27.74	210.02

**GUYANA**

		<b>15.16</b>	<b>90</b>
<b>Bentonite</b>		<b>0</b>	<b>0</b>
	25081010	0	0
<b>Steatite</b>		<b>15.16</b>	<b>90</b>
	25262000	15.16	90

**HAITI**

		<b>6.71</b>	<b>103.41</b>
<b>Steatite</b>		<b>6.71</b>	<b>103.41</b>
	25262000	6.71	103.41

**HONDURAS**

		<b>1.76</b>	<b>20</b>
--	--	-------------	-----------



<b>HONDURAS</b>	<b>Bentonite</b>		<b>1.76</b>	<b>20</b>
		25081090	1.76	20
	<b>Processed Minerals n.e.s</b>		<b>0</b>	<b>0</b>
		25059000	0	0
		25084090	0	0
<b>HONG KONG</b>			<b>39.66</b>	<b>855.09</b>
	<b>Aluminium hydrate</b>		<b>0.15</b>	<b>0.2</b>
		28183000	0.15	0.2
	<b>Bentonite</b>		<b>29.73</b>	<b>767.64</b>
		25081090	29.73	767.64
	<b>Feldspar</b>		<b>0</b>	<b>0</b>
		25291010	0	0
	<b>Garnet</b>		<b>2.05</b>	<b>24</b>
		25132030	2.05	24
	<b>Iron oxide</b>		<b>4.78</b>	<b>23.7</b>
		28211010	4.78	23.7
	<b>Natural Graphite</b>		<b>0.06</b>	<b>0.4</b>
		25041090	0.06	0.4
	<b>Processed Minerals n.e.s</b>		<b>1.82</b>	<b>32.45</b>
		25059000	0	0.3
		25083030	0	0
		25084090	0	0
		25199040	0.08	2.75
		25301090	1.74	29.4
	<b>Quartz</b>		<b>1.07</b>	<b>6.7</b>
		25062090	1.07	6.7
<b>HUNGARY</b>			<b>81.31</b>	<b>120</b>
	<b>Aluminium hydrate</b>		<b>81.31</b>	<b>120</b>
		28183000	81.31	120
	<b>Steatite</b>		<b>0</b>	<b>0</b>
		25262000	0	0
<b>ICELAND</b>			<b>2.37</b>	<b>21</b>
	<b>Aluminium hydrate</b>		<b>0</b>	<b>0</b>
		28183000	0	0
	<b>Bentonite</b>		<b>2.37</b>	<b>21</b>
		25081090	2.37	21
<b>INDONESIA</b>			<b>6232.55</b>	<b>153582.05</b>
	<b>Aluminium hydrate</b>		<b>1325.82</b>	<b>10285.93</b>

INDONESIA	Aluminium hydrate	28183000	1325.82	10285.93
	<b>Barytes</b>		<b>30.36</b>	<b>468</b>
		25111020	30.36	468
	<b>Bentonite</b>		<b>1370.7</b>	<b>70305.12</b>
		25081010	1213.12	65170
		25081090	157.58	5135.12
	<b>Calcined alumina ( including other aluminium oxide)</b>		<b>369.33</b>	<b>1189.17</b>
		28182010	369.33	1189.17
		28182090	0	0
	<b>Feldspar</b>		<b>1975.99</b>	<b>57366.42</b>
		25291010	713.31	24503.32
		25291020	1262.68	32863.1
	<b>Garnet</b>		<b>498.51</b>	<b>6245.79</b>
		25132030	498.51	6245.79
	<b>Iron oxide</b>		<b>139.84</b>	<b>1276.18</b>
		28211010	139.84	1276.18
	<b>Kaolin</b>		<b>82.57</b>	<b>699.17</b>
		25070029	82.57	699.17
	<b>Manganese dioxide</b>		<b>0</b>	<b>0</b>
		28201000	0	0
	<b>Natural Graphite</b>		<b>4.36</b>	<b>13</b>
		25041010	4.36	13
	<b>Processed Minerals n.e.s</b>		<b>68.72</b>	<b>637.2</b>
		25059000	0	0
		25083030	0	0
		25083090	0	0
		25090000	0.25	2
		25199040	58.73	526.68
		25199090	8.91	83.52
		25301090	0.83	25
		26140031	0	0
	<b>Quartz</b>		<b>39.93</b>	<b>1207.78</b>
		25061010	15.54	549.78
		25061020	24.39	658
	<b>Silica Sand</b>		<b>18.06</b>	<b>40.38</b>
		25051011	18.06	40.38
		25051019	0	0
	<b>Steatite</b>		<b>305.47</b>	<b>3825.91</b>
		25262000	305.47	3825.91

**INDONESIA**

<b>Wollastonite</b>		<b>2.89</b>	<b>22</b>
	25309050	2.89	22

**IRAN****196262.11****1252225.91**

<b>Aluminium hydrate</b>		<b>124.06</b>	<b>957.98</b>
	28183000	124.06	957.98

<b>Ball Clay</b>		<b>7.75</b>	<b>312.33</b>
	25084010	7.75	312.33

<b>Bentonite</b>		<b>11.53</b>	<b>90</b>
	25081010	0	0
	25081090	11.53	90

<b>Calcined alumina ( including other aluminium oxide)</b>		<b>194451.24</b>	<b>1225209.38</b>
	28182010	194451.24	1225209.38

<b>Feldspar</b>		<b>782.33</b>	<b>19563.51</b>
	25291010	43.18	1213
	25291020	739.15	18350.51

<b>Garnet</b>		<b>64.45</b>	<b>733</b>
	25132030	64.45	733

<b>Kaolin</b>		<b>40.66</b>	<b>330.65</b>
	25070029	40.66	330.65

<b>Manganese dioxide</b>		<b>0.02</b>	<b>0.1</b>
	28201000	0.02	0.1

<b>Natural Graphite</b>		<b>2.84</b>	<b>54</b>
	25041090	2.84	54

<b>Processed Minerals n.e.s</b>		<b>385.07</b>	<b>1354</b>
	25083090	0	0
	25084020	0	0
	25084090	24.54	200
	25199040	0.52	4
	25199090	1.01	10
	26140031	359	1140
	26140039	0	0

<b>Quartz</b>		<b>234.5</b>	<b>2785.52</b>
	25061010	27.57	355
	25061020	196.34	2309
	25062090	10.59	121.52

<b>Sillimanite</b>		<b>53.69</b>	<b>171.35</b>
	25085032	53.69	171.35

<b>Steatite</b>		<b>79.85</b>	<b>492.09</b>
-----------------	--	--------------	---------------

<b>IRAN</b>	<b>Steatite</b>		<b>79.85</b>	<b>492.09</b>
		25262000		
	<b>Wollastonite</b>		<b>24.12</b>	<b>172</b>
		25309050	24.12	172
<b>IRAQ</b>			<b>335.33</b>	<b>7872.8</b>
	<b>Barytes</b>		<b>251.88</b>	<b>5501.36</b>
		25111020	251.88	5501.36
	<b>Bentonite</b>		<b>59.21</b>	<b>1880.13</b>
		25081090	59.21	1880.13
	<b>Calcined Magnesite</b>		<b>0</b>	<b>0</b>
		25191000	0	0
	<b>Processed Minerals n.e.s</b>		<b>22.98</b>	<b>486.31</b>
		25083090	16.07	336.31
		25301020	0	0
		25309030	6.91	150
	<b>Steatite</b>		<b>1.26</b>	<b>5</b>
		25262000	1.26	5
<b>IRELAND</b>			<b>103.94</b>	<b>764.44</b>
	<b>Calcined alumina ( including other aluminium oxide)</b>		<b>0</b>	<b>0</b>
		28182090	0	0
	<b>Garnet</b>		<b>8.83</b>	<b>130</b>
		25132030	8.83	130
	<b>Kaolin</b>		<b>79.41</b>	<b>458.2</b>
		25070029	79.41	458.2
	<b>Processed Minerals n.e.s</b>		<b>2.48</b>	<b>24.79</b>
		25083030	0	0
		25083090	0.01	0.5
		25084090	0	0.29
		25301010	2.47	24
	<b>Quartz</b>		<b>9.09</b>	<b>70.45</b>
		25061010	9.09	70.45
	<b>Silica Sand</b>		<b>4.13</b>	<b>81</b>
		25051019	4.13	81
<b>ISRAEL</b>			<b>544.61</b>	<b>8843.46</b>
	<b>Aluminium hydrate</b>		<b>16.25</b>	<b>80</b>
		28183000	16.25	80
	<b>Barytes</b>		<b>0</b>	<b>0</b>
		25111020	0	0

<b>ISRAEL</b>	<b>Bentonite</b>		<b>56.29</b>	<b>964.4</b>
		25081090	56.29	964.4
	<b>Calcined alumina ( including other aluminium oxide)</b>		<b>10.35</b>	<b>17</b>
		28182010	7.42	15
		28182090	2.93	2
	<b>Calcined Magnesite</b>		<b>0</b>	<b>0</b>
		25191000	0	0
	<b>Feldspar</b>		<b>9.96</b>	<b>382</b>
		25291010	9.96	382
	<b>Garnet</b>		<b>47.06</b>	<b>457</b>
		25132030	47.06	457
	<b>Iron oxide</b>		<b>7.41</b>	<b>55</b>
		28211010	7.41	55
	<b>Kaolin</b>		<b>0</b>	<b>0</b>
		25070029	0	0
	<b>Processed Minerals n.e.s</b>		<b>7.14</b>	<b>62</b>
		25084020	2.97	16
		25084090	0	0
		25199090	0	0
		25301010	3.8	44
		25301020	0.37	2
		26140039	0	0
	<b>Quartz</b>		<b>342.44</b>	<b>6418.06</b>
		25051020	2.71	108
		25061010	132	3639.92
		25061020	0.67	26.52
		25062020	0	0
		25062090	207.06	2643.62
	<b>Steatite</b>		<b>47.71</b>	<b>408</b>
		25261010	0	0
		25262000	47.71	408
<b>ITALY</b>			<b>1998.61</b>	<b>44852.41</b>
	<b>Aluminium hydrate</b>		<b>0.39</b>	<b>0.15</b>
		28183000	0.39	0.15
	<b>Barytes</b>		<b>8.11</b>	<b>189</b>
		25111010	0	0
		25111020	8.11	189
	<b>Bentonite</b>		<b>393.9</b>	<b>25098.97</b>
		25081090	393.9	25098.97

<b>ITALY</b>	<b>Calcined alumina ( including other aluminium oxide)</b>	<b>123.46</b>	<b>576.72</b>
	28182010	123.46	576.72
	<b>Calcined Bauxite</b>	<b>104.44</b>	<b>1127</b>
	26060020	104.44	1127
	<b>Feldspar</b>	<b>12.33</b>	<b>290</b>
	25291010	2.98	75
	25291020	9.35	215
	<b>Garnet</b>	<b>534.67</b>	<b>7666</b>
	25132030	534.67	7666
	<b>Iron oxide</b>	<b>33.77</b>	<b>264</b>
	28211010	33.77	264
	<b>Kaolin</b>	<b>14.8</b>	<b>89.5</b>
	25070010	2.31	14
	25070022	0.01	0.5
	25070029	12.48	75
	<b>Natural Graphite</b>	<b>80.25</b>	<b>125.7</b>
	25041010	21.37	48
	25049090	58.88	77.7
	<b>Processed Minerals n.e.s</b>	<b>19.48</b>	<b>79.73</b>
	25059000	0	0.02
	25083030	0	0
	25084090	0	0
	25090000	0.01	0.21
	25199020	0.88	3
	25199040	9.02	47
	25301010	0.11	0.5
	25301090	0.23	2
	26140031	9.23	27
	<b>Quartz</b>	<b>564.05</b>	<b>8141.77</b>
	25061010	143.46	2500.35
	25062020	4.29	54
	25062090	416.3	5587.42
	<b>Silica Sand</b>	<b>16.41</b>	<b>239.12</b>
	25051019	16.41	239.12
	<b>Steatite</b>	<b>82.27</b>	<b>876.75</b>
	25261010	0	0
	25262000	82.27	876.75
	<b>Wollastonite</b>	<b>10.28</b>	<b>88</b>
	25309050	10.28	88
<b>JAMAICA</b>		<b>31.73</b>	<b>154</b>

<b>JAMAICA</b>	<b>Calcined Magnesite</b>		<b>3.13</b>	<b>26</b>
		25191000	3.13	26
	<b>Kaolin</b>		<b>28.6</b>	<b>128</b>
		25070029	28.6	128
<b>JAPAN</b>			<b>21485.96</b>	<b>377801.16</b>
	<b>Aluminium hydrate</b>		<b>113.72</b>	<b>683.1</b>
		28183000	113.72	683.1
	<b>Barytes</b>		<b>0</b>	<b>0</b>
		25111010	0	0
	<b>Bentonite</b>		<b>10.4</b>	<b>204</b>
		25081090	10.4	204
	<b>Calcined alumina ( including other aluminium oxide)</b>		<b>332.76</b>	<b>843.9</b>
		28182010	260.99	686
		28182090	71.77	157.9
	<b>Calcined Bauxite</b>		<b>448.03</b>	<b>3200</b>
		26060020	448.03	3200
	<b>Calcined Magnesite</b>		<b>5.4</b>	<b>40</b>
		25199030	5.4	40
	<b>Feldspar</b>		<b>161.38</b>	<b>3317.41</b>
		25291010	141.07	2901.8
		25291020	20.31	415.61
	<b>Garnet</b>		<b>274.56</b>	<b>3123.59</b>
		25132030	274.56	3123.59
	<b>Ilmenite</b>		<b>13535.79</b>	<b>303976</b>
		26140010	13535.79	303976
	<b>Iron oxide</b>		<b>26.79</b>	<b>221.56</b>
		28211010	26.79	221.56
	<b>Kaolin</b>		<b>4.22</b>	<b>20</b>
		25070010	0	0
		25070029	4.22	20
	<b>Kyanite</b>		<b>0</b>	<b>0</b>
		25085023	0	0
	<b>Manganese dioxide</b>		<b>11.94</b>	<b>20</b>
		28201000	11.94	20
	<b>Natural Graphite</b>		<b>22.32</b>	<b>57.64</b>
		25041090	22.32	57.64
		25049090	0	0

**JAPAN**

<b>Processed Minerals n.e.s</b>		<b>48.98</b>	<b>486.98</b>
	25083030	1.03	2.04
	25083090	0.01	0.12
	25084090	9.07	129.49
	25199040	6.3	40
	25301010	22.76	285.33
	25301090	9.81	30
	26140039	0	0
<b>Quartz</b>		<b>4672.39</b>	<b>47521.8</b>
	25061010	1796.05	25563.56
	25061020	2418.45	14259.02
	25062010	12.57	189
	25062090	445.32	7510.22
<b>Silica Sand</b>		<b>933.22</b>	<b>5026</b>
	25051011	232	1212
	25051012	7.33	40
	25051019	693.89	3774
<b>Sillimanite</b>		<b>39.84</b>	<b>208</b>
	25085039	39.84	208
<b>Steatite</b>		<b>547.81</b>	<b>5526.7</b>
	25261010	157.96	2474.64
	25261020	12.45	80
	25262000	377.4	2972.06
<b>Wollastonite</b>		<b>296.41</b>	<b>3324.48</b>
	25309050	296.41	3324.48
<b>JORDAN</b>		<b>58.05</b>	<b>883.78</b>
<b>Ball Clay</b>		<b>1.25</b>	<b>49.16</b>
	25084010	1.25	49.16
<b>Bentonite</b>		<b>18.99</b>	<b>391</b>
	25081090	18.99	391
<b>Calcined Magnesite</b>		<b>0</b>	<b>0</b>
	25191000	0	0
<b>Feldspar</b>		<b>6.87</b>	<b>150</b>
	25291020	6.87	150
<b>Garnet</b>		<b>1.38</b>	<b>25</b>
	25132030	1.38	25
<b>Iron oxide</b>		<b>2.66</b>	<b>10</b>
	28211010	2.66	10
<b>Kaolin</b>		<b>13.52</b>	<b>106.37</b>



<b>JORDAN</b>	<b>Kaolin</b>	25070029	13.52	106.37
	<b>Natural Graphite</b>		0	0
		25041090	0	0
	<b>Processed Minerals n.e.s</b>		3.41	24.19
		25083030	0.01	0.19
		25199040	0	0
		25199090	3.4	24
		25301020	0	0
	<b>Silica Sand</b>		0.01	0.06
		25051019	0.01	0.06
	<b>Steatite</b>		9.96	128
		25262000	9.96	128
<b>KAZAKHSTAN</b>			<b>28.06</b>	<b>342</b>
	<b>Garnet</b>		25.79	320
		25132030	25.79	320
	<b>Processed Minerals n.e.s</b>		0	0
		25083030	0	0
	<b>Quartz</b>		2.27	22
		25062090	2.27	22
<b>KENYA</b>			<b>1095.39</b>	<b>13408.24</b>
	<b>Aluminium hydrate</b>		282.89	2162.71
		28183000	282.89	2162.71
	<b>Ball Clay</b>		0	0
		25084010	0	0
	<b>Barytes</b>		18.36	237
		25111020	18.36	237
	<b>Bentonite</b>		165.34	3206.77
		25081090	165.34	3206.77
	<b>Calcined alumina ( including other aluminium oxide)</b>		15.84	44.55
		28182010	15.77	44.45
		28182090	0.07	0.1
	<b>Dolomite</b>		11.4	183.72
		25183000	11.4	183.72
	<b>Iron oxide</b>		46.06	314.25
		25309060	0.03	0.1
		25309070	0.23	4
		28211010	45.8	310.15

<b>KENYA</b>	<b>Kaolin</b>		<b>30.14</b>	<b>344.84</b>
		25070010	9.1	111
		25070029	21.04	233.84
	<b>Manganese dioxide</b>		<b>5.49</b>	<b>48</b>
		28201000	5.49	48
	<b>Natural Graphite</b>		<b>5.33</b>	<b>34.81</b>
		25041010	0.38	1.32
		25041090	4.09	32.95
		25049090	0.86	0.54
	<b>Processed Minerals n.e.s</b>		<b>153.69</b>	<b>1658.03</b>
		25059000	11.94	201
		25083090	1.53	85.22
		25084020	3.15	50
		25084090	77.27	1004.09
		25090000	0.42	2.47
		25199040	4.46	35
		25199090	3.14	20
		25201090	19.92	180
		25301090	1.17	6
		26140031	30.69	74.25
	<b>Quartz</b>		<b>73.89</b>	<b>1225.35</b>
		25061010	0	0
		25061020	69.99	1215.35
		25062090	3.9	10
	<b>Silica Sand</b>		<b>39.86</b>	<b>632.96</b>
		25051019	39.86	632.96
	<b>Steatite</b>		<b>247.1</b>	<b>3315.25</b>
		25261020	2.61	53
		25262000	244.49	3262.25
	<b>Wollastonite</b>		<b>0</b>	<b>0</b>
		25309050	0	0
<b>KOREA DP RP</b>			<b>202.11</b>	<b>1841.07</b>
	<b>Aluminium hydrate</b>		<b>51.98</b>	<b>501</b>
		28183000	51.98	501
	<b>Calcined alumina ( including other aluminium oxide)</b>		<b>102.97</b>	<b>381.38</b>
		28182010	102.97	381.38
	<b>Garnet</b>		<b>7.57</b>	<b>100</b>
		25132030	7.57	100
	<b>Processed Minerals n.e.s</b>		<b>15.14</b>	<b>500.98</b>
		25084090	15.14	500.98

<b>KOREA DP RI</b>	<b>Quartz</b>		<b>22.24</b>	<b>341.05</b>
		25061010	20.35	314
		25061020	0	0.05
		25062090	1.89	27
	<b>Steatite</b>		<b>0</b>	<b>0</b>
		25262000	0	0
	<b>Wollastonite</b>		<b>2.21</b>	<b>16.66</b>
		25309050	2.21	16.66
<b>KOREA RP</b>			<b>5733.89</b>	<b>100026.34</b>
	<b>Aluminium hydrate</b>		<b>2262.26</b>	<b>18759</b>
		28183000	2262.26	18759
	<b>Barytes</b>		<b>31.83</b>	<b>567</b>
		25111020	31.83	567
	<b>Bentonite</b>		<b>325.48</b>	<b>11161.17</b>
		25081090	325.48	11161.17
	<b>Calcined alumina ( including other aluminium oxide)</b>		<b>138.43</b>	<b>387.38</b>
		28182010	123.65	376.21
		28182090	14.78	11.17
	<b>Calcined Bauxite</b>		<b>10.02</b>	<b>1300</b>
		26060020	10.02	1300
	<b>Feldspar</b>		<b>71.84</b>	<b>1925.38</b>
		25291010	7.89	192
		25291020	63.95	1733.38
	<b>Garnet</b>		<b>454.57</b>	<b>5897</b>
		25132030	454.57	5897
	<b>Ilmenite</b>		<b>2034.52</b>	<b>56260</b>
		26140010	2034.52	56260
	<b>Iron oxide</b>		<b>62.67</b>	<b>423.73</b>
		28211010	62.67	423.73
	<b>Kaolin</b>		<b>16.17</b>	<b>154.5</b>
		25070010	0.67	20
		25070029	15.5	134.5
	<b>Manganese dioxide</b>		<b>26.32</b>	<b>200</b>
		28201000	26.32	200
	<b>Processed Minerals n.e.s</b>		<b>80.59</b>	<b>749.32</b>
		25059000	1.28	20
		25083090	0	0
		25084090	25.28	608.84

<b>KOREA RP</b>	<b>Processed Minerals n.e.s</b>	25090000	0	0
		25199090	0.02	0.48
		26140031	54.01	120
	<b>Quartz</b>		<b>158.02</b>	<b>1772.4</b>
		25051020	15.86	155
		25061010	72.08	938.4
		25061020	37.28	343
		25062010	0	0
		25062090	32.8	336
	<b>Silica Sand</b>		<b>58.1</b>	<b>448</b>
		25051011	22.24	160
		25051019	35.86	288
	<b>Steatite</b>		<b>1.11</b>	<b>4.8</b>
		25262000	1.11	4.8
	<b>Wollastonite</b>		<b>1.96</b>	<b>16.66</b>
		25309050	1.96	16.66
<b>KUWAIT</b>			<b>4586.17</b>	<b>126554.82</b>
	<b>Barytes</b>		<b>3100.99</b>	<b>93934.21</b>
		25111010	2263.14	74383.2
		25111020	837.85	19551.01
	<b>Bentonite</b>		<b>264.13</b>	<b>13763.77</b>
		25081090	264.13	13763.77
	<b>Calcined alumina ( including other aluminium oxide)</b>		<b>1.44</b>	<b>3.1</b>
		28182010	1.43	3
		28182090	0.01	0.1
	<b>Calcined Bauxite</b>		<b>6.71</b>	<b>50</b>
		26060020	6.71	50
	<b>Feldspar</b>		<b>176.07</b>	<b>4690.52</b>
		25291010	50.71	1625
		25291020	125.36	3065.52
	<b>Garnet</b>		<b>860.03</b>	<b>10119.06</b>
		25132030	860.03	10119.06
	<b>Iron oxide</b>		<b>33.48</b>	<b>268.02</b>
		25309060	4.85	24
		28211010	28.63	244.02
	<b>Kaolin</b>		<b>10.4</b>	<b>88.98</b>
		25070029	10.4	88.98
	<b>Manganese dioxide</b>		<b>12.65</b>	<b>52</b>
		28201000	12.65	52

**KUWAIT**

<b>Natural Graphite</b>		<b>0</b>	<b>0</b>
	25041090	0	0
<b>Processed Minerals n.e.s</b>		<b>38.78</b>	<b>785.26</b>
	25083030	0	0.14
	25083090	28.19	700
	25084020	0.3	1.5
	25084090	0.27	15.73
	25199040	2.53	23.81
	25199090	0	0.08
	25301090	5.46	24
	25309030	2.03	20
<b>Quartz</b>		<b>52.44</b>	<b>2167.42</b>
	25061010	31.37	1592.42
	25061020	21.07	575
	25062090	0	0
<b>Silica Sand</b>		<b>22.39</b>	<b>528.65</b>
	25051019	22.39	528.65
<b>Sillimanite</b>		<b>1.41</b>	<b>20</b>
	25085039	1.41	20
<b>Steatite</b>		<b>5.25</b>	<b>83.83</b>
	25262000	5.25	83.83

**KYRGHZSTAN**

<b>Processed Minerals n.e.s</b>		<b>0</b>	<b>0</b>
	25083030	0	0

**LATVIA**

<b>Bentonite</b>		<b>39.83</b>	<b>367.2</b>
	25081090	39.83	367.2
<b>Garnet</b>		<b>14.73</b>	<b>196</b>
	25132030	14.73	196
<b>Natural Graphite</b>		<b>0.48</b>	<b>4</b>
	25041010	0.48	4
<b>Processed Minerals n.e.s</b>		<b>31.92</b>	<b>216</b>
	25199040	31.92	216
<b>LEBANON</b>		<b>53.47</b>	<b>620.5</b>
<b>Barytes</b>		<b>1.79</b>	<b>10</b>
	25111020	1.79	10
<b>Bentonite</b>		<b>2.27</b>	<b>50</b>
	25081090	2.27	50

<b>LEBANON</b>	<b>Dolomite</b>		<b>0</b>	<b>0</b>
		25183000	0	0
	<b>Garnet</b>		<b>5.9</b>	<b>80</b>
		25132030	5.9	80
	<b>Iron oxide</b>		<b>7.5</b>	<b>114.5</b>
		25309070	0.81	8
		28211010	6.69	106.5
	<b>Kaolin</b>		<b>0</b>	<b>0</b>
		25070029	0	0
	<b>Manganese dioxide</b>		<b>0</b>	<b>0</b>
		28201000	0	0
	<b>Processed Minerals n.e.s</b>		<b>3.58</b>	<b>36.67</b>
		25084090	3.58	36.67
		25199040	0	0
	<b>Quartz</b>		<b>6.85</b>	<b>38.66</b>
		25061010	0	0
		25061020	0.14	11.76
		25062090	6.71	26.9
	<b>Silica Sand</b>		<b>1.11</b>	<b>10</b>
		25051019	1.11	10
	<b>Steatite</b>		<b>24.47</b>	<b>280.67</b>
		25262000	24.47	280.67
<b>LIBERIA</b>			<b>7.51</b>	<b>141.4</b>
	<b>Feldspar</b>		<b>0.45</b>	<b>4</b>
		25291020	0.45	4
	<b>Iron oxide</b>		<b>0.79</b>	<b>0.7</b>
		28211010	0.79	0.7
	<b>Kaolin</b>		<b>2.69</b>	<b>23</b>
		25070029	2.69	23
	<b>Processed Minerals n.e.s</b>		<b>2.61</b>	<b>95.95</b>
		25083090	0.72	22.68
		25090000	0.09	11.97
		25309030	1.8	61.3
	<b>Steatite</b>		<b>0.97</b>	<b>17.75</b>
		25262000	0.97	17.75
<b>LIBYA</b>			<b>7.06</b>	<b>150</b>
	<b>Barytes</b>		<b>0</b>	<b>0</b>
		25111020	0	0

<b>LIBYA</b>	<b>Barytes</b>	25111090	0	0
	<b>Bentonite</b>		0	0
		25081090	0	0
	<b>Garnet</b>		0	0
		25132030	0	0
	<b>Processed Minerals n.e.s</b>		2.43	50
		25059000	2.43	50
		25084090	0	0
	<b>Quartz</b>		4.63	100
		25061020	4.63	100
<b>LITHUANIA</b>			<b>14.76</b>	<b>213.63</b>
	<b>Bentonite</b>		4.96	23.63
		25081090	4.96	23.63
	<b>Garnet</b>		9.8	190
		25132030	9.8	190
	<b>Processed Minerals n.e.s</b>		0	0
		25084090	0	0
<b>MADAGASCAR</b>			<b>4.93</b>	<b>64</b>
	<b>Bentonite</b>		3.19	50
		25081090	3.19	50
	<b>Steatite</b>		1.74	14
		25262000	1.74	14
<b>MALAWI</b>			<b>5.24</b>	<b>53</b>
	<b>Bentonite</b>		1.74	21
		25081090	1.74	21
	<b>Processed Minerals n.e.s</b>		3.5	32
		25083090	0	0
		25084020	0.06	2
		25084090	3.44	30
<b>MALAYSIA</b>			<b>10058.12</b>	<b>253750.82</b>
	<b>Aluminium hydrate</b>		946.45	9321.08
		28183000	946.45	9321.08
	<b>Barytes</b>		431.12	11136.2
		25111020	431.12	11136.2
	<b>Bentonite</b>		1518.04	83141.38
		25081010	989.53	66076
		25081090	528.51	17065.38

<b>MALAYSIA</b>	<b>Calcined alumina ( including other aluminium oxide)</b>	<b>237.83</b>	<b>740.51</b>
	28182010	205.45	673.77
	28182090	32.38	66.74
	<b>Calcined Bauxite</b>	<b>28.78</b>	<b>226</b>
	26060020	28.78	226
	<b>Dolomite</b>	<b>71.96</b>	<b>1297.97</b>
	25181000	71.96	1297.97
	25183000	0	0
	<b>Feldspar</b>	<b>1006.32</b>	<b>28079.82</b>
	25291010	542.81	16947.58
	25291020	463.51	11132.24
	<b>Garnet</b>	<b>570.56</b>	<b>6893.52</b>
	25132030	570.56	6893.52
	<b>Ilmenite</b>	<b>3170.44</b>	<b>68230</b>
	26140010	3170.44	68230
	<b>Iron oxide</b>	<b>53.13</b>	<b>412</b>
	25309060	0	0
	25309070	6.76	22
	28211010	46.37	390
	<b>Kaolin</b>	<b>289.32</b>	<b>2736.11</b>
	25070010	7.02	45
	25070029	282.3	2691.11
	<b>Natural Graphite</b>	<b>2.39</b>	<b>2</b>
	25041090	0	0
	25049090	2.39	2
	<b>Processed Minerals n.e.s</b>	<b>584</b>	<b>28977.37</b>
	25083030	0.03	1.08
	25084020	0	0
	25084090	496.42	27008.91
	25090000	0	0
	25199090	76.57	1929.08
	25201090	0.1	0.5
	25301010	1.05	9.8
	25301090	0	0
	26140031	9.83	28
	<b>Quartz</b>	<b>706.94</b>	<b>8414.16</b>
	25061010	589.5	6128
	25061020	109.38	2138.27
	25062090	8.06	147.89
	<b>Silica Sand</b>	<b>26.75</b>	<b>188.09</b>
	25051011	14.84	80



<b>MALAYSIA</b>	<b>Silica Sand</b>	25051019	11.91	108.09
	<b>Sillimanite</b>		0.92	25
		25085031	0.92	25
	<b>Steatite</b>		395.91	3887.61
		25261010	0.17	4.85
		25261020	0	0
		25262000	395.74	3882.76
	<b>Wollastonite</b>		17.26	42
		25309050	17.26	42
<b>MALDIVES</b>			<b>8.24</b>	<b>273.98</b>
	<b>Barytes</b>		0.15	8.53
		25111020	0.15	8.53
	<b>Bentonite</b>		0.35	4
		25081090	0.35	4
	<b>Garnet</b>		0	0
		25132030	0	0
	<b>Iron oxide</b>		2.16	9.6
		28211010	2.16	9.6
	<b>Kaolin</b>		1.55	15.77
		25070022	0.24	1
		25070029	1.31	14.77
	<b>Processed Minerals n.e.s</b>		3.02	207.18
		25059000	2.75	200
		25083030	0	0
		25083090	0.18	1.2
		25090000	0.09	5.98
	<b>Quartz</b>		0.89	26.7
		25061010	0	0
		25061020	0.89	26.7
		25062090	0	0
	<b>Silica Sand</b>		0	0
		25051019	0	0
	<b>Steatite</b>		0.12	2.2
		25262000	0.12	2.2
<b>MALI</b>			<b>0.01</b>	<b>0.23</b>
	<b>Processed Minerals n.e.s</b>		0.01	0.23
		25084090	0.01	0.23
<b>MALTA</b>			<b>10.18</b>	<b>80.13</b>

<b>MALTA</b>	<b>Bentonite</b>		<b>4.8</b>	<b>38.1</b>
		25081090	4.8	38.1
	<b>Kaolin</b>		<b>5.38</b>	<b>42.03</b>
		25070029	5.38	42.03
<b>MAURITANIA</b>			<b>151.58</b>	<b>3052.82</b>
	<b>Barytes</b>		<b>145.61</b>	<b>2998.72</b>
		25111020	145.61	2998.72
	<b>Bentonite</b>		<b>0</b>	<b>0.1</b>
		25081090	0	0.1
	<b>Garnet</b>		<b>5.97</b>	<b>54</b>
		25132030	5.97	54
<b>MAURITIUS</b>			<b>147.38</b>	<b>1277.94</b>
	<b>Aluminium hydrate</b>		<b>0</b>	<b>0</b>
		28183000	0	0
	<b>Barytes</b>		<b>0.04</b>	<b>0.2</b>
		25111020	0.04	0.2
	<b>Bentonite</b>		<b>2.96</b>	<b>19</b>
		25081090	2.96	19
	<b>Calcined Magnesite</b>		<b>0</b>	<b>0</b>
		25191000	0	0
	<b>Iron oxide</b>		<b>0</b>	<b>0</b>
		28211010	0	0
	<b>Kaolin</b>		<b>84.66</b>	<b>558.03</b>
		25070029	84.66	558.03
	<b>Manganese dioxide</b>		<b>0.01</b>	<b>0.03</b>
		28201000	0.01	0.03
	<b>Natural Graphite</b>		<b>2.04</b>	<b>10</b>
		25041010	2.04	10
	<b>Processed Minerals n.e.s</b>		<b>22.2</b>	<b>173.25</b>
		25059000	0	0
		25083030	0	0.01
		25083090	0	0
		25084020	0.03	0.69
		25084090	14.34	138
		25090000	0.01	0.15
		25301090	7.68	34
		26140039	0.14	0.4
	<b>Quartz</b>		<b>27.74</b>	<b>397.32</b>

<b>MAURITIUS</b>	<b>Quartz</b>	25061020	10.05	237.32
		25062090	17.69	160
	<b>Silica Sand</b>		<b>0.91</b>	<b>22</b>
		25051019	0.91	22
	<b>Sillimanite</b>		<b>0.98</b>	<b>13</b>
		25085031	0.98	13
	<b>Steatite</b>		<b>5.84</b>	<b>85.11</b>
		25262000	5.84	85.11
<b>MEXICO</b>			<b>2189.47</b>	<b>49638</b>
	<b>Aluminium hydrate</b>		<b>72.19</b>	<b>252.1</b>
		28183000	72.19	252.1
	<b>Barytes</b>		<b>1522.02</b>	<b>46858</b>
		25111010	1522.02	46858
	<b>Calcined alumina ( including other aluminium oxide)</b>		<b>560.03</b>	<b>2110.4</b>
		28182010	560.03	2110.4
	<b>Calcined Magnesite</b>		<b>3.11</b>	<b>26</b>
		25191000	3.11	26
	<b>Feldspar</b>		<b>0</b>	<b>0.03</b>
		25291020	0	0.03
	<b>Garnet</b>		<b>14.76</b>	<b>175</b>
		25132030	14.76	175
	<b>Kaolin</b>		<b>4.66</b>	<b>46.05</b>
		25070010	4.66	46
		25070029	0	0.05
	<b>Processed Minerals n.e.s</b>		<b>1.8</b>	<b>20.61</b>
		25301010	1.8	20.61
	<b>Quartz</b>		<b>8.7</b>	<b>127</b>
		25062090	8.7	127
	<b>Silica Sand</b>		<b>0.01</b>	<b>0.81</b>
		25051019	0.01	0.81
	<b>Wollastonite</b>		<b>2.19</b>	<b>22</b>
		25309050	2.19	22
<b>MOLDOVA</b>			<b>0.02</b>	<b>0.07</b>
	<b>Kaolin</b>		<b>0.02</b>	<b>0.07</b>
		25070029	0.02	0.07
<b>MOROCCO</b>			<b>14.14</b>	<b>133</b>

<b>MOROCCO</b>	<b>Aluminium hydrate</b>	<b>2.46</b>	<b>22</b>
	28183000	2.46	22
	<b>Bentonite</b>	<b>0</b>	<b>0</b>
	25081090	0	0
	<b>Processed Minerals n.e.s</b>	<b>11.68</b>	<b>111</b>
	25059000	0	0
	25083030	0	0
	25084090	11.12	108
	25301020	0.56	3
	<b>Steatite</b>	<b>0</b>	<b>0</b>
	25262000	0	0
<b>MOZAMBIQUE</b>		<b>190.94</b>	<b>2768.49</b>
	<b>Aluminium hydrate</b>	<b>0</b>	<b>0</b>
	28183000	0	0
	<b>Barytes</b>	<b>25.91</b>	<b>612.5</b>
	25111020	25.91	612.5
	<b>Bentonite</b>	<b>5.64</b>	<b>96</b>
	25081090	5.64	96
	<b>Dolomite</b>	<b>4.42</b>	<b>54</b>
	25183000	4.42	54
	<b>Feldspar</b>	<b>0</b>	<b>0</b>
	25291020	0	0
	<b>Iron oxide</b>	<b>6.58</b>	<b>105.85</b>
	28211010	6.58	105.85
	<b>Natural Graphite</b>	<b>0</b>	<b>0</b>
	25041090	0	0
	<b>Processed Minerals n.e.s</b>	<b>31.59</b>	<b>307</b>
	25059000	5	99
	25083090	0	0
	25084020	19.81	160
	25084090	3.58	23
	25201090	3.2	25
	<b>Quartz</b>	<b>2.76</b>	<b>49.19</b>
	25062020	0	0
	25062090	2.76	49.19
	<b>Steatite</b>	<b>114.04</b>	<b>1543.95</b>
	25261010	0	0
	25262000	114.04	1543.95

<b>MYANMAR</b>		<b>343.5</b>	<b>7577.47</b>
<b>Aluminium hydrate</b>		<b>2.31</b>	<b>1.85</b>
	28183000	2.31	1.85
<b>Barytes</b>		<b>297.42</b>	<b>6503.47</b>
	25111020	297.42	6503.47
<b>Bentonite</b>		<b>39.64</b>	<b>1004.74</b>
	25081090	39.64	1004.74
<b>Iron oxide</b>		<b>0</b>	<b>0</b>
	28211010	0	0
<b>Kaolin</b>		<b>0.04</b>	<b>0.15</b>
	25070021	0.04	0.15
	25070029	0	0
<b>Processed Minerals n.e.s</b>		<b>2.77</b>	<b>48</b>
	25059000	0	0
	25201090	2.77	48
<b>Quartz</b>		<b>0</b>	<b>0</b>
	25061010	0	0
<b>Silica Sand</b>		<b>0.24</b>	<b>4</b>
	25051011	0.24	4
<b>Steatite</b>		<b>1.08</b>	<b>15.26</b>
	25262000	1.08	15.26
<b>N. MARIANA IS.</b>		<b>22.04</b>	<b>1655.31</b>
<b>Feldspar</b>		<b>4.03</b>	<b>150</b>
	25291010	4.03	150
<b>Processed Minerals n.e.s</b>		<b>18.01</b>	<b>1505.31</b>
	25201090	18.01	1505.31
<b>NAMIBIA</b>		<b>0</b>	<b>0</b>
<b>Kaolin</b>		<b>0</b>	<b>0</b>
	25070021	0	0
<b>NEPAL</b>		<b>1194.62</b>	<b>68623.71</b>
<b>Aluminium hydrate</b>		<b>1.9</b>	<b>21</b>
	28183000	1.9	21
<b>Ball Clay</b>		<b>0.18</b>	<b>14.7</b>
	25084010	0.18	14.7
<b>Barytes</b>		<b>12.49</b>	<b>176.75</b>
	25111010	0.17	0.75
	25111020	8.98	122
	25111090	3.34	54

## NEPAL

<b>Bentonite</b>		<b>37.01</b>	<b>1414.47</b>
	25081010	23.69	834.2
	25081090	13.32	580.27
<b>Calcined alumina ( including other aluminium oxide)</b>		<b>1.38</b>	<b>1.6</b>
	28182010	0	0
	28182090	1.38	1.6
<b>Calcined Bauxite</b>		<b>10.23</b>	<b>1559</b>
	26060020	10.23	1559
<b>Calcined Magnesite</b>		<b>0.54</b>	<b>4.5</b>
	25191000	0.54	4.5
<b>Dolomite</b>		<b>248.53</b>	<b>12926.94</b>
	25181000	171.16	7832.85
	25182000	46.53	3176.97
	25183000	30.84	1917.12
<b>Feldspar</b>		<b>1.04</b>	<b>87.04</b>
	25291010	0	0
	25291020	1.04	87.04
<b>Iron oxide</b>		<b>23.01</b>	<b>191.92</b>
	25309060	0.76	20.4
	25309070	1.51	8.01
	28211010	20.74	163.51
<b>Kaolin</b>		<b>92.96</b>	<b>1554.31</b>
	25070010	30.2	493.16
	25070021	1.24	20
	25070029	61.52	1041.15
<b>Kyanite</b>		<b>0.03</b>	<b>0.5</b>
	25085023	0.03	0.5
<b>Manganese dioxide</b>		<b>0.38</b>	<b>1.11</b>
	28201000	0.38	1.11
<b>Natural Graphite</b>		<b>0.12</b>	<b>1</b>
	25041010	0	0
	25041090	0.12	1
	25049090	0	0
<b>Processed Minerals n.e.s</b>		<b>484.76</b>	<b>44470.24</b>
	25059000	1.08	49
	25083010	1.73	37.4
	25083090	11.97	296.52
	25084020	8.3	227.5
	25084090	67.79	1431.81
	25090000	13.43	368.16

<b>NEPAL</b>	<b>Processed Minerals n.e.s</b>	25199090	0.34	2.05
		25201010	169.99	26323.86
		25201020	2.09	344.6
		25201090	115.23	12331.53
		25301010	0.14	0.3
		25301020	0.45	49.9
		25301090	58.64	2185.15
		25309030	33.58	822.46
	<b>Quartz</b>		<b>51.35</b>	<b>1510.43</b>
		25051020	1.8	20
		25061010	7.22	336
		25061020	33.81	947.23
		25062010	0.46	0.2
		25062020	2.8	191.1
		25062090	5.26	15.9
	<b>Silica Sand</b>		<b>5.71</b>	<b>77.1</b>
		25051011	0.78	7.1
		25051019	4.93	70
	<b>Sillimanite</b>		<b>3.82</b>	<b>46</b>
		25085039	3.82	46
	<b>Steatite</b>		<b>219.18</b>	<b>4565.1</b>
		25261010	9.02	210
		25261020	11.57	255.43
		25262000	198.59	4099.67
<b>NETHERLAND</b>			<b>6743.74</b>	<b>152814.64</b>
	<b>Aluminium hydrate</b>		<b>35.75</b>	<b>33.55</b>
		28183000	35.75	33.55
	<b>Barytes</b>		<b>353.32</b>	<b>11000</b>
		25111010	353.32	11000
	<b>Bentonite</b>		<b>387.06</b>	<b>19577.2</b>
		25081090	387.06	19577.2
	<b>Calcined alumina ( including other aluminium oxide)</b>		<b>3.38</b>	<b>9.41</b>
		28182010	1.15	2.5
		28182090	2.23	6.91
	<b>Calcined Bauxite</b>		<b>11.74</b>	<b>75</b>
		26060020	11.74	75
	<b>Garnet</b>		<b>310.72</b>	<b>4259.2</b>
		25132030	310.72	4259.2
	<b>Ilmenite</b>		<b>5125.55</b>	<b>113860</b>
		26140010	5125.55	113860

<b>NETHERLAND</b>	<b>Kaolin</b>		<b>14.62</b>	<b>115.69</b>
		25070029	14.62	115.69
	<b>Natural Graphite</b>		<b>42.47</b>	<b>33.01</b>
		25049090	42.47	33.01
	<b>Processed Minerals n.e.s</b>		<b>242.98</b>	<b>1589.42</b>
		25083030	0	0
		25083090	0	0
		25084090	0	0
		25090000	0	0
		25199040	53.8	495.39
		25199090	115.56	900
		25201010	0	0
		25201090	8.95	5.03
		25301010	0	0
		26140031	64.67	189
	<b>Quartz</b>		<b>11.72</b>	<b>46</b>
		25062090	11.72	46
	<b>Sillimanite</b>		<b>0.26</b>	<b>1.3</b>
		25085039	0.26	1.3
	<b>Steatite</b>		<b>30.96</b>	<b>416.9</b>
		25261010	16.07	278.9
		25261020	12.43	112
		25262000	2.46	26
	<b>Wollastonite</b>		<b>173.21</b>	<b>1797.96</b>
		25309050	173.21	1797.96
<b>NETHERLANDANTIL</b>			<b>0.05</b>	<b>4.28</b>
	<b>Processed Minerals n.e.s</b>		<b>0.05</b>	<b>4.28</b>
		25301010	0.05	4.28
<b>NEW ZEALAND</b>			<b>603.81</b>	<b>6885.67</b>
	<b>Aluminium hydrate</b>		<b>0.51</b>	<b>2</b>
		28183000	0.51	2
	<b>Barytes</b>		<b>86.17</b>	<b>1543.84</b>
		25111010	4.32	88
		25111020	81.85	1455.84
	<b>Bentonite</b>		<b>79.47</b>	<b>1110.06</b>
		25081090	79.47	1110.06
	<b>Calcined alumina ( including other aluminium oxide)</b>		<b>4.47</b>	<b>20</b>
		28182010	4.47	20
	<b>Feldspar</b>		<b>9.01</b>	<b>208.42</b>
		25291020	9.01	208.42



**NEW ZEALAN**

<b>Garnet</b>		<b>313.7</b>	<b>3272</b>
	25132030	313.7	3272
<b>Kaolin</b>		<b>23.18</b>	<b>220</b>
	25070029	23.18	220
<b>Natural Graphite</b>		<b>66.4</b>	<b>32</b>
	25049090	66.4	32
<b>Processed Minerals n.e.s</b>		<b>5.72</b>	<b>266.99</b>
	25059000	2.3	44
	25083030	0	0
	25084090	0	0
	25201090	2.21	190
	25301010	1.21	32.99
<b>Quartz</b>		<b>14.67</b>	<b>208.16</b>
	25051020	3.06	44
	25061020	3.03	54.16
	25062010	0	0
	25062090	8.58	110
<b>Steatite</b>		<b>0.51</b>	<b>2.2</b>
	25262000	0.51	2.2

**NIGER**

		<b>2.83</b>	<b>14</b>
<b>Kaolin</b>		<b>2.83</b>	<b>14</b>
	25070029	2.83	14

**NIGERIA**

		<b>807.91</b>	<b>11327.6</b>
<b>Aluminium hydrate</b>		<b>73.75</b>	<b>118.21</b>
	28183000	73.75	118.21
<b>Ball Clay</b>		<b>0</b>	<b>0</b>
	25084010	0	0
<b>Barytes</b>		<b>5.33</b>	<b>24</b>
	25111020	5.33	24
<b>Bentonite</b>		<b>0</b>	<b>0</b>
	25081090	0	0
<b>Calcined alumina ( including other aluminium oxide)</b>		<b>24.04</b>	<b>82.01</b>
	28182010	23.03	80.51
	28182090	1.01	1.5
<b>Calcined Magnesite</b>		<b>0.56</b>	<b>19.6</b>
	25191000	0.56	19.6
<b>Dolomite</b>		<b>4.11</b>	<b>200</b>
	25181000	4.11	200

<b>NIGERIA</b>	<b>Dolomite</b>	25183000	0	0
	<b>Feldspar</b>		0	0
		25291020	0	0
	<b>Garnet</b>		0	0
		25132030	0	0
	<b>Iron oxide</b>		24.2	155.32
		28211010	24.2	155.32
	<b>Kaolin</b>		35.5	198.81
		25070029	35.5	198.81
	<b>Natural Graphite</b>		2.59	12.5
		25041090	2.59	12.5
		25049090	0	0
	<b>Processed Minerals n.e.s</b>		62.15	674.11
		25059000	12.02	269
		25083030	0.32	7.76
		25084090	0	0
		25090000	0.42	11
		25199010	4.37	27.56
		25199040	3.17	10
		25199090	20.7	211.22
		25301020	0.13	18.4
		25301090	21.02	119.17
	<b>Quartz</b>		300.52	4971.8
		25051020	9.19	220
		25061020	38.32	680
		25062020	230.37	3742
		25062090	22.64	329.8
	<b>Silica Sand</b>		3.47	79.89
		25051011	0	0
		25051019	3.47	79.89
	<b>Steatite</b>		271.69	4791.35
		25262000	271.69	4791.35
<b>NORWAY</b>			<b>160.9</b>	<b>1501.56</b>
	<b>Aluminium hydrate</b>		46.13	59.4
		28183000	46.13	59.4
	<b>Bentonite</b>		2.87	22
		25081090	2.87	22
	<b>Garnet</b>		87.34	896
		25132030	87.34	896

<b>NORWAY</b>	<b>Processed Minerals n.e.s</b>	<b>11.68</b>	<b>322.87</b>
	25083030	0.07	1.27
	25083090	6.31	180
	25301010	5.3	141.6
	<b>Quartz</b>	<b>12.86</b>	<b>200</b>
	25061020	12.86	200
	<b>Silica Sand</b>	<b>0.02</b>	<b>1.29</b>
	25051019	0.02	1.29
<b>OMAN</b>		<b>2986.99</b>	<b>91388.13</b>
	<b>Aluminium hydrate</b>	<b>21.69</b>	<b>130</b>
	28183000	21.69	130
	<b>Ball Clay</b>	<b>5.43</b>	<b>112</b>
	25084010	5.43	112
	<b>Barytes</b>	<b>2032.61</b>	<b>59856.7</b>
	25111010	1788.08	54879.38
	25111020	244.53	4977.32
	<b>Bentonite</b>	<b>287.45</b>	<b>20148.51</b>
	25081090	287.45	20148.51
	<b>Calcined alumina ( including other aluminium oxide)</b>	<b>24.24</b>	<b>65.6</b>
	28182010	23.6	65
	28182090	0.64	0.6
	<b>Calcined Magnesite</b>	<b>4.59</b>	<b>12</b>
	25191000	4.59	12
	<b>Dolomite</b>	<b>11</b>	<b>203</b>
	25183000	11	203
	<b>Feldspar</b>	<b>212.89</b>	<b>5273.61</b>
	25291020	212.89	5273.61
	<b>Garnet</b>	<b>21.51</b>	<b>364</b>
	25132030	21.51	364
	<b>Iron oxide</b>	<b>23.62</b>	<b>65.11</b>
	28211010	23.62	65.11
	<b>Kaolin</b>	<b>50.7</b>	<b>371.93</b>
	25070022	1.21	0.6
	25070029	49.49	371.33
	<b>Manganese dioxide</b>	<b>0</b>	<b>0</b>
	28201000	0	0
	<b>Natural Graphite</b>	<b>8.64</b>	<b>4.5</b>

<b>OMAN</b>	<b>Natural Graphite</b>	25041090	0	0
		25049010	0	0
		25049090	8.64	4.5
	<b>Processed Minerals n.e.s</b>		<b>21.16</b>	<b>186.45</b>
		25059000	0.84	25
		25083090	0.04	2
		25084020	2.35	31.63
		25084090	4.69	58.82
		25090000	0	0
		25199040	6.73	48
		25199090	6.18	18
		25301020	0.33	3
	<b>Quartz</b>		<b>199.42</b>	<b>3786.06</b>
		25051020	52.6	900
		25061010	26.14	448
		25061020	101.96	2026.95
		25062090	18.72	411.11
	<b>Silica Sand</b>		<b>0.43</b>	<b>5.14</b>
		25051011	0	0
		25051019	0.43	5.14
	<b>Sillimanite</b>		<b>0.88</b>	<b>46</b>
		25085031	0.88	46
	<b>Steatite</b>		<b>60.73</b>	<b>757.52</b>
		25262000	60.73	757.52
<b>PAKISTAN IR</b>			<b>1141.58</b>	<b>12220</b>
	<b>Aluminium hydrate</b>		<b>724.59</b>	<b>5565.58</b>
		28183000	724.59	5565.58
	<b>Barytes</b>		<b>181.5</b>	<b>4205.52</b>
		25111020	181.5	4205.52
	<b>Bentonite</b>		<b>63.26</b>	<b>1736.35</b>
		25081090	63.26	1736.35
	<b>Calcined alumina ( including other aluminium oxide)</b>		<b>64.29</b>	<b>174.19</b>
		28182010	60.8	170.82
		28182090	3.49	3.37
	<b>Iron oxide</b>		<b>21.76</b>	<b>66.47</b>
		28211010	21.76	66.47
	<b>Kaolin</b>		<b>22.04</b>	<b>74</b>
		25070010	4.94	57
		25070021	17.02	16
		25070029	0.08	1

<b>PAKISTAN IR</b>	<b>Processed Minerals n.e.s</b>	<b>64.14</b>	<b>397.89</b>
	25059000	0	0
	25083030	0	0
	25083090	4.08	100.58
	25084090	9.8	101
	25199010	11.97	37.5
	25199040	32.07	123
	25301020	0	0
	25301090	6.22	35.81
	<b>Quartz</b>	<b>0</b>	<b>0</b>
	25061020	0	0
	<b>Steatite</b>	<b>0</b>	<b>0</b>
	25262000	0	0
<b>PANAMA REPUBLIC</b>		<b>11.84</b>	<b>26.4</b>
	<b>Aluminium hydrate</b>	<b>11.84</b>	<b>26.4</b>
	28183000	11.84	26.4
<b>PAPUA N GNA</b>		<b>4.69</b>	<b>80</b>
	<b>Bentonite</b>	<b>4.69</b>	<b>80</b>
	25081090	4.69	80
<b>PARAGUAY</b>		<b>36.41</b>	<b>71.6</b>
	<b>Aluminium hydrate</b>	<b>0.21</b>	<b>0.2</b>
	28183000	0.21	0.2
	<b>Barytes</b>	<b>2.91</b>	<b>20</b>
	25111020	2.91	20
	<b>Kaolin</b>	<b>0.75</b>	<b>2</b>
	25070021	0.75	2
	<b>Natural Graphite</b>	<b>32.54</b>	<b>49.4</b>
	25041090	32.54	49.4
	<b>Processed Minerals n.e.s</b>	<b>0</b>	<b>0</b>
	25199090	0	0
<b>PERU</b>		<b>16.19</b>	<b>223.26</b>
	<b>Aluminium hydrate</b>	<b>5.89</b>	<b>41</b>
	28183000	5.89	41
	<b>Barytes</b>	<b>1.29</b>	<b>27</b>
	25111020	1.29	27
	<b>Bentonite</b>	<b>1.12</b>	<b>27</b>
	25081090	1.12	27
	<b>Feldspar</b>	<b>4.92</b>	<b>100</b>
	25291020	4.92	100

**PERU**

<b>Garnet</b>		<b>2.94</b>	<b>28</b>
	25132030	2.94	28
<b>Kaolin</b>		<b>0</b>	<b>0.03</b>
	25070029	0	0.03
<b>Silica Sand</b>		<b>0.02</b>	<b>0.15</b>
	25051019	0.02	0.15
<b>Steatite</b>		<b>0.01</b>	<b>0.08</b>
	25262000	0.01	0.08

**PHILIPPINES**

		<b>2101.4</b>	<b>22400.55</b>
<b>Aluminium hydrate</b>		<b>1046.18</b>	<b>9661.7</b>
	28183000	1046.18	9661.7
<b>Barytes</b>		<b>0</b>	<b>0</b>
	25111090	0	0
<b>Bentonite</b>		<b>186.07</b>	<b>3325.03</b>
	25081090	186.07	3325.03
<b>Calcined alumina ( including other aluminium oxide)</b>		<b>24.42</b>	<b>88.9</b>
	28182010	23.36	88
	28182090	1.06	0.9
<b>Calcined Bauxite</b>		<b>0</b>	<b>0</b>
	26060020	0	0
<b>Calcined Magnesite</b>		<b>0</b>	<b>0</b>
	25191000	0	0
<b>Dolomite</b>		<b>0</b>	<b>0</b>
	25181000	0	0
<b>Feldspar</b>		<b>15.75</b>	<b>312</b>
	25291020	15.75	312
<b>Garnet</b>		<b>5.29</b>	<b>49</b>
	25132030	5.29	49
<b>Iron oxide</b>		<b>172.94</b>	<b>2566.05</b>
	25309060	84.31	1248
	25309070	5.78	215
	28211010	82.85	1103.05
<b>Kaolin</b>		<b>111.94</b>	<b>559.77</b>
	25070022	1.58	18.75
	25070029	110.36	541.02
<b>Manganese dioxide</b>		<b>14.21</b>	<b>71.2</b>

<b>PHILIPPINES</b>	<b>Manganese dioxide</b>	28201000	14.21	71.2
	<b>Natural Graphite</b>		0	0
		25041010	0	0
	<b>Processed Minerals n.e.s</b>		191.65	937.3
		25059000	0	0
		25083090	0	0
		25084020	0	0
		25084090	33.7	375
		25090000	4.41	116
		25199040	3.56	26
		25301090	0	0
		26140031	149.98	420.3
	<b>Quartz</b>		1.28	20
		25051020	1.28	20
		25061010	0	0
	<b>Steatite</b>		331.67	4809.6
		25262000	331.67	4809.6
<b>POLAND</b>			<b>2253.36</b>	<b>44324</b>
	<b>Barytes</b>		5.53	95
		25111020	5.53	95
	<b>Bentonite</b>		15.18	360
		25081090	15.18	360
	<b>Calcined Bauxite</b>		31.67	220
		26060020	31.67	220
	<b>Garnet</b>		235.91	3359
		25132030	235.91	3359
	<b>Ilmenite</b>		1941.62	40240
		26140010	1941.62	40240
	<b>Iron oxide</b>		0	0
		28211010	0	0
	<b>Manganese dioxide</b>		23.45	50
		28201000	23.45	50
	<b>Quartz</b>		0	0
		25062090	0	0
	<b>Silica Sand</b>		0	0
		25051019	0	0
	<b>Steatite</b>		0	0
		25262000	0	0

**POLAND  
PORTUGAL**

		<b>63.02</b>	<b>1338.69</b>
<b>Barytes</b>		<b>0</b>	<b>0</b>
	25111020	0	0
<b>Bentonite</b>		<b>29.06</b>	<b>722</b>
	25081090	29.06	722
<b>Calcined alumina ( including other aluminium oxide)</b>		<b>0</b>	<b>0</b>
	28182090	0	0
<b>Garnet</b>		<b>10.38</b>	<b>150.69</b>
	25132030	10.38	150.69
<b>Kaolin</b>		<b>0</b>	<b>0</b>
	25070029	0	0
<b>Processed Minerals n.e.s</b>		<b>0</b>	<b>0</b>
	25059000	0	0
<b>Quartz</b>		<b>17.83</b>	<b>386</b>
	25051020	0	0
	25061010	0	0
	25061020	17.83	386
<b>Steatite</b>		<b>5.75</b>	<b>80</b>
	25262000	5.75	80

**QATAR**

		<b>1449.03</b>	<b>25354.3</b>
<b>Barytes</b>		<b>454.04</b>	<b>10108.98</b>
	25111020	454.04	10108.98
<b>Bentonite</b>		<b>106.16</b>	<b>2613.05</b>
	25081090	106.16	2613.05
<b>Calcined alumina ( including other aluminium oxide)</b>		<b>11.01</b>	<b>22</b>
	28182010	10.56	21
	28182090	0.45	1
<b>Garnet</b>		<b>784.58</b>	<b>11339</b>
	25132030	784.58	11339
<b>Natural Graphite</b>		<b>0</b>	<b>0</b>
	25041090	0	0
<b>Processed Minerals n.e.s</b>		<b>28.98</b>	<b>322.78</b>
	25059000	28.98	322
	25083030	0	0
	25083090	0	0.78
	25084090	0	0
<b>Quartz</b>		<b>11.66</b>	<b>363.49</b>



<b>QATAR</b>	<b>Quartz</b>	25061020	11.66	363.49
		25062090	0	0
	<b>Silica Sand</b>		50.94	565
		25051019	50.94	565
	<b>Sillimanite</b>		0	0
		25085039	0	0
	<b>Steatite</b>		1.66	20
		25262000	1.66	20
<b>REUNION</b>			<b>8.25</b>	<b>71.48</b>
	<b>Bentonite</b>		8.24	71.4
		25081090	8.24	71.4
	<b>Processed Minerals n.e.s</b>		0.01	0.08
		25084090	0.01	0.08
<b>ROMANIA</b>			<b>21.02</b>	<b>233.22</b>
	<b>Bentonite</b>		8.62	108.22
		25081090	8.62	108.22
	<b>Calcined alumina ( including other aluminium oxide)</b>		0	0
		28182010	0	0
	<b>Garnet</b>		8.38	100
		25132030	8.38	100
	<b>Iron oxide</b>		3.94	24
		25309060	0	0
		28211010	3.94	24
	<b>Steatite</b>		0.08	1
		25262000	0.08	1
<b>RUSSIA</b>			<b>809.53</b>	<b>10364.83</b>
	<b>Aluminium hydrate</b>		0	0
		28183000	0	0
	<b>Barytes</b>		131.78	2916
		25111020	131.78	2916
	<b>Bentonite</b>		294.25	2353.75
		25081090	294.25	2353.75
	<b>Garnet</b>		352.34	4906
		25132030	352.34	4906
	<b>Iron oxide</b>		5.67	20
		28211010	5.67	20

<b>RUSSIA</b>	<b>Kaolin</b>		<b>7.15</b>	<b>49.04</b>
		25070029	7.15	49.04
	<b>Manganese dioxide</b>		<b>0</b>	<b>0</b>
		28201000	0	0
	<b>Processed Minerals n.e.s</b>		<b>14.95</b>	<b>96.04</b>
		25199040	14.95	96.04
		25199090	0	0
	<b>Steatite</b>		<b>3.39</b>	<b>24</b>
		25262000	3.39	24
<b>RWANDA</b>			<b>3</b>	<b>21</b>
	<b>Processed Minerals n.e.s</b>		<b>3</b>	<b>21</b>
		25301020	3	21
	<b>Silica Sand</b>		<b>0</b>	<b>0</b>
		25051019	0	0
<b>SAUDI ARAB</b>			<b>14423.3</b>	<b>346314.79</b>
	<b>Aluminium hydrate</b>		<b>1320.07</b>	<b>9096</b>
		28183000	1320.07	9096
	<b>Barytes</b>		<b>8936.16</b>	<b>274014.9</b>
		25111010	8288.83	260240
		25111020	638.34	13720.4
		25111090	8.99	54.5
	<b>Bentonite</b>		<b>873.45</b>	<b>27066.16</b>
		25081010	44.66	768
		25081090	828.79	26298.16
	<b>Calcined alumina ( including other aluminium oxide)</b>		<b>275.12</b>	<b>829.25</b>
		28182010	256.92	794.22
		28182090	18.2	35.03
	<b>Calcined Bauxite</b>		<b>132.62</b>	<b>1455.06</b>
		26060020	132.62	1455.06
	<b>Calcined Magnesite</b>		<b>0.72</b>	<b>18.82</b>
		25191000	0.72	18.82
	<b>Dolomite</b>		<b>9.03</b>	<b>231.48</b>
		25183000	9.03	231.48
	<b>Feldspar</b>		<b>31.03</b>	<b>721</b>
		25291010	0	0
		25291020	31.03	721
	<b>Garnet</b>		<b>1030.66</b>	<b>14478.93</b>
		25132030	1030.66	14478.93

## SAUDI ARAB

<b>Iron oxide</b>		<b>361.11</b>	<b>3298.35</b>
	25309070	38.34	328
	28211010	322.77	2970.35
<b>Kaolin</b>		<b>84.22</b>	<b>643.65</b>
	25070010	7.27	68
	25070029	76.95	575.65
<b>Kyanite</b>		<b>0.27</b>	<b>1</b>
	25085023	0.27	1
<b>Manganese dioxide</b>		<b>9.69</b>	<b>79.38</b>
	28201000	9.69	79.38
<b>Natural Graphite</b>		<b>5.56</b>	<b>13.51</b>
	25041010	0	0
	25041090	1.57	6.2
	25049090	3.99	7.31
<b>Processed Minerals n.e.s</b>		<b>1055</b>	<b>10109.7</b>
	25059000	601.46	3198.76
	25083030	0.79	10
	25083090	14.65	290.23
	25084020	68.96	1632.07
	25084090	224.74	4218.3
	25090000	0.27	18.44
	25199040	75.44	510.2
	25199090	4.56	29.2
	25201010	0	0
	25301020	0.68	4
	25301090	0.34	2.5
	25309030	0	0
	26140031	63.11	196
<b>Quartz</b>		<b>45.66</b>	<b>878.14</b>
	25061020	41.78	812.63
	25062010	0	0
	25062090	3.88	65.51
<b>Silica Sand</b>		<b>6.2</b>	<b>100</b>
	25051011	6.2	100
	25051019	0	0
<b>Steatite</b>		<b>223.65</b>	<b>2831.01</b>
	25261020	15.83	292
	25262000	207.82	2539.01
<b>Wollastonite</b>		<b>23.08</b>	<b>448.45</b>
	25309050	23.08	448.45

## SENEGAL

37.2

295.96

<b>SENEGAL</b>	<b>Bentonite</b>		<b>5.5</b>	<b>127.97</b>
		25081090	5.5	127.97
	<b>Iron oxide</b>		<b>28.91</b>	<b>128.13</b>
		28211010	28.91	128.13
	<b>Processed Minerals n.e.s</b>		<b>0.05</b>	<b>0.86</b>
		25084020	0	0
		25090000	0.05	0.86
	<b>Silica Sand</b>		<b>0.24</b>	<b>19</b>
		25051019	0.24	19
	<b>Steatite</b>		<b>2.5</b>	<b>20</b>
		25262000	2.5	20
<b>SEYCHELLES</b>			<b>3.15</b>	<b>27.63</b>
	<b>Bentonite</b>		<b>0.2</b>	<b>10</b>
		25081090	0.2	10
	<b>Iron oxide</b>		<b>0.24</b>	<b>0.63</b>
		28211010	0.24	0.63
	<b>Processed Minerals n.e.s</b>		<b>2.71</b>	<b>17</b>
		25059000	0	0
		25084090	2.71	17
<b>SINGAPORE</b>			<b>1125.38</b>	<b>17123.36</b>
	<b>Aluminium hydrate</b>		<b>189.92</b>	<b>1399.9</b>
		28183000	189.92	1399.9
	<b>Barytes</b>		<b>255.1</b>	<b>6558.28</b>
		25111010	1.09	21
		25111020	254.01	6537.28
	<b>Bentonite</b>		<b>163.49</b>	<b>4086.02</b>
		25081090	163.49	4086.02
	<b>Calcined alumina ( including other aluminium oxide)</b>		<b>0.21</b>	<b>0.08</b>
		28182010	0	0
		28182090	0.21	0.08
	<b>Dolomite</b>		<b>1.18</b>	<b>24</b>
		25181000	1.18	24
	<b>Feldspar</b>		<b>9.05</b>	<b>223.12</b>
		25291020	9.05	223.12
	<b>Garnet</b>		<b>320.48</b>	<b>3246.42</b>
		25132030	320.48	3246.42
	<b>Iron oxide</b>		<b>24.56</b>	<b>119.5</b>

<b>SINGAPORE</b>	<b>Iron oxide</b>	28211010	24.56	119.5
	<b>Kaolin</b>		1.67	10
		25070021	0	0
		25070029	1.67	10
	<b>Processed Minerals n.e.s</b>		7.59	122.2
		25059000	0	0
		25083030	0	0
		25083090	0.06	6.16
		25084020	0	0
		25084090	4.65	91.36
		25090000	0	0
		25199090	0.01	0.08
		25201090	0	0
		25301010	2.87	24.6
	<b>Quartz</b>		62.87	564.05
		25061010	0	0
		25061020	59.54	496.43
		25062090	3.33	67.62
	<b>Silica Sand</b>		48.42	280.4
		25051011	37.69	220
		25051019	10.73	60.4
	<b>Sillimanite</b>		17.85	242.02
		25085039	17.85	242.02
	<b>Steatite</b>		18.29	221.37
		25262000	18.29	221.37
	<b>Wollastonite</b>		4.7	26
		25309050	4.7	26
<b>SLOVAK REP</b>			9.27	78
	<b>Garnet</b>		9.27	78
		25132030	9.27	78
<b>SLOVENIA</b>			679.56	7294.1
	<b>Aluminium hydrate</b>		13.61	20
		28183000	13.61	20
	<b>Bentonite</b>		5.26	48
		25081090	5.26	48
	<b>Calcined Bauxite</b>		658.25	7200
		26060020	658.25	7200
	<b>Processed Minerals n.e.s</b>		2.44	26.1
		25083030	0.19	2.58
		25301010	2.25	23.52

**SLOVENIA**  
**SOUTH AFRICA**

	<b>1651.18</b>	<b>9909.25</b>
<b>Aluminium hydrate</b>	<b>76.56</b>	<b>230.15</b>
28183000	76.56	230.15
<b>Ball Clay</b>	<b>0.09</b>	<b>8.58</b>
25084010	0.09	8.58
<b>Barytes</b>	<b>67.71</b>	<b>1060.3</b>
25111010	0	0
25111020	37.86	820.3
25111090	29.85	240
<b>Bentonite</b>	<b>65.64</b>	<b>718.8</b>
25081090	65.64	718.8
<b>Calcined alumina ( including other aluminium oxide)</b>	<b>1067.4</b>	<b>4096.92</b>
28182010	1067.4	4096.92
<b>Calcined Magnesite</b>	<b>10.72</b>	<b>53.13</b>
25191000	10.72	53.13
<b>Feldspar</b>	<b>0.06</b>	<b>1.72</b>
25291020	0.06	1.72
<b>Garnet</b>	<b>43.7</b>	<b>588</b>
25132030	43.7	588
<b>Iron oxide</b>	<b>32.62</b>	<b>307.06</b>
25309060	0.55	5.5
25309070	0.45	6
28211010	31.62	295.56
<b>Kaolin</b>	<b>27.53</b>	<b>404.47</b>
25070010	0	0
25070029	27.53	404.47
<b>Natural Graphite</b>	<b>0</b>	<b>0.01</b>
25041090	0	0
25049090	0	0.01
<b>Processed Minerals n.e.s</b>	<b>98.33</b>	<b>738.99</b>
25059000	0.01	0.11
25083030	0.41	11.4
25083090	0	0
25084090	3.87	44
25090000	3.41	60.48
25199040	85.03	583
25201010	5.6	40
<b>Quartz</b>	<b>0</b>	<b>0</b>
25062090	0	0

**SOUTH AFRIC**

<b>Silica Sand</b>		<b>5.01</b>	<b>168.15</b>
	25051019	5.01	168.15
<b>Steatite</b>		<b>155.81</b>	<b>1532.97</b>
	25262000	155.81	1532.97

**SPAIN**

		<b>782.95</b>	<b>14147.84</b>
<b>Aluminium hydrate</b>		<b>0.15</b>	<b>1</b>
	28183000	0.15	1
<b>Barytes</b>		<b>0</b>	<b>0</b>
	25111020	0	0
<b>Bentonite</b>		<b>206.51</b>	<b>5546.49</b>
	25081090	206.51	5546.49
<b>Calcined alumina ( including other aluminium oxide)</b>		<b>21.16</b>	<b>64.31</b>
	28182010	19.54	60
	28182090	1.62	4.31
<b>Dolomite</b>		<b>0</b>	<b>0</b>
	25181000	0	0
<b>Feldspar</b>		<b>2.61</b>	<b>71</b>
	25291020	2.61	71
<b>Garnet</b>		<b>192.99</b>	<b>2769.74</b>
	25132030	192.99	2769.74
<b>Iron oxide</b>		<b>4.96</b>	<b>69</b>
	25309070	2.7	20
	28211010	2.26	49
<b>Kaolin</b>		<b>35.14</b>	<b>283.2</b>
	25070010	13.74	126
	25070029	21.4	157.2
<b>Processed Minerals n.e.s</b>		<b>21.07</b>	<b>185.69</b>
	25059000	0	0.03
	25083030	0.01	0.98
	25083090	0.06	0.72
	25084090	10.05	60
	25090000	0	0
	25199040	0	0
	25199090	3.13	24
	25201010	0	0
	25301010	7.82	99.96
<b>Quartz</b>		<b>91.82</b>	<b>753.86</b>
	25061010	0	0
	25062090	91.82	753.86

**SPAIN**

<b>Silica Sand</b>		<b>0</b>	<b>0.1</b>
	25051019	0	0.1
<b>Steatite</b>		<b>203.47</b>	<b>4381.45</b>
	25261010	0	0
	25261020	103.48	3131.95
	25262000	99.99	1249.5
<b>Wollastonite</b>		<b>3.07</b>	<b>22</b>
	25309050	3.07	22

**SRI LANKA DSR**

		<b>826.44</b>	<b>10274.05</b>
<b>Aluminium hydrate</b>		<b>21.34</b>	<b>82.47</b>
	28183000	21.34	82.47
<b>Ball Clay</b>		<b>0.07</b>	<b>1</b>
	25084010	0.07	1
<b>Barytes</b>		<b>32.01</b>	<b>175.15</b>
	25111010	1.72	10
	25111020	28.41	155.05
	25111090	1.88	10.1
<b>Bentonite</b>		<b>67.66</b>	<b>1515.13</b>
	25081010	0.04	0.83
	25081090	67.62	1514.3
<b>Calcined alumina ( including other aluminium oxide)</b>		<b>122.03</b>	<b>409.71</b>
	28182010	120.31	407.7
	28182090	1.72	2.01
<b>Calcined Magnesite</b>		<b>8.03</b>	<b>121.3</b>
	25191000	8.03	121.3
<b>Dolomite</b>		<b>0.61</b>	<b>11.43</b>
	25181000	0.02	1.38
	25182000	0	0.05
	25183000	0.59	10
<b>Feldspar</b>		<b>71.07</b>	<b>2571.8</b>
	25291010	35.61	1327.11
	25291020	35.46	1244.69
<b>Garnet</b>		<b>5.21</b>	<b>44</b>
	25132030	5.21	44
<b>Iron oxide</b>		<b>0</b>	<b>0</b>
	28211010	0	0
<b>Kaolin</b>		<b>124.07</b>	<b>1116.12</b>
	25070010	5.55	67.04



<b>SRI LANKA D</b>	<b>Kaolin</b>	25070021	0	0
		25070029	118.52	1049.08
	<b>Kyanite</b>		<b>0.12</b>	<b>1</b>
		25085022	0.12	1
	<b>Manganese dioxide</b>		<b>11.77</b>	<b>44.5</b>
		28201000	11.77	44.5
	<b>Natural Graphite</b>		<b>1.21</b>	<b>1.31</b>
		25041090	0	0
		25049090	1.21	1.31
	<b>Processed Minerals n.e.s</b>		<b>117.63</b>	<b>1878.32</b>
		25059000	15.09	504.92
		25083010	0	0
		25083030	0.05	0.46
		25083090	1.94	100.07
		25084020	1.41	38.93
		25084090	85.8	1056.2
		25090000	0.04	0.45
		25199010	0.03	0.87
		25199040	4.23	22.3
		25199090	4.24	80.47
		25301090	0.4	1.65
		25309030	4.4	72
	<b>Quartz</b>		<b>17.95</b>	<b>397.82</b>
		25051020	1.08	24
		25061010	2.69	66.99
		25061020	10.12	221.52
		25062090	4.06	85.31
	<b>Silica Sand</b>		<b>1.31</b>	<b>39.73</b>
		25051011	0.12	2
		25051019	1.19	37.73
	<b>Steatite</b>		<b>223.99</b>	<b>1859.29</b>
		25262000	223.99	1859.29
	<b>Wollastonite</b>		<b>0.36</b>	<b>3.97</b>
		25309050	0.36	3.97
<b>SUDAN</b>			<b>1278.71</b>	<b>28280.73</b>
	<b>Aluminium hydrate</b>		<b>26.62</b>	<b>109.92</b>
		28183000	26.62	109.92
	<b>Barytes</b>		<b>1012.31</b>	<b>23483.6</b>
		25111020	1012.31	23483.6
	<b>Bentonite</b>		<b>117.89</b>	<b>3823.51</b>
		25081090	117.89	3823.51

**SUDAN**

<b>Calcined alumina ( including other aluminium oxide)</b>		<b>39.49</b>	<b>278.75</b>
	28182010	39.49	278.75
	28182090	0	0
<b>Calcined Magnesite</b>		<b>26.14</b>	<b>154</b>
	25191000	7.93	52
	25199030	18.21	102
<b>Dolomite</b>		<b>9.68</b>	<b>128.5</b>
	25182000	0.1	3.5
	25183000	9.58	125
<b>Feldspar</b>		<b>0</b>	<b>0</b>
	25291020	0	0
<b>Garnet</b>		<b>1.44</b>	<b>27</b>
	25132030	1.44	27
<b>Iron oxide</b>		<b>1.19</b>	<b>1.9</b>
	28211010	1.19	1.9
<b>Kaolin</b>		<b>0</b>	<b>0</b>
	25070021	0	0
<b>Kyanite</b>		<b>0</b>	<b>0</b>
	25085023	0	0
<b>Natural Graphite</b>		<b>0.26</b>	<b>0.8</b>
	25041090	0.26	0.8
<b>Processed Minerals n.e.s</b>		<b>35.19</b>	<b>212</b>
	25199040	0	0
	25199090	35.19	212
<b>Quartz</b>		<b>0.06</b>	<b>0.75</b>
	25051020	0.06	0.75
	25061020	0	0
	25062090	0	0
<b>Steatite</b>		<b>8.44</b>	<b>60</b>
	25262000	8.44	60

**SWEDEN**

		<b>173.93</b>	<b>2413.69</b>
<b>Aluminium hydrate</b>		<b>14.56</b>	<b>20</b>
	28183000	14.56	20
<b>Bentonite</b>		<b>6.87</b>	<b>245.69</b>
	25081090	6.87	245.69
<b>Calcined alumina ( including other aluminium oxide)</b>		<b>2.14</b>	<b>2</b>
	28182010	2.14	2

<b>SWEDEN</b>	<b>Calcined alumina ( including</b>	<b>28182090</b>	<b>0</b>	<b>0</b>
	<b>Dolomite</b>		<b>0</b>	<b>0</b>
		25183000	0	0
	<b>Garnet</b>		<b>147.57</b>	<b>2114</b>
		25132030	147.57	2114
	<b>Kaolin</b>		<b>1.7</b>	<b>16</b>
		25070029	1.7	16
	<b>Processed Minerals n.e.s</b>		<b>1.09</b>	<b>16</b>
		25084090	1.09	16
		25301090	0	0
<b>SWITZERLAND</b>			<b>5.29</b>	<b>30.26</b>
	<b>Aluminium hydrate</b>		<b>0.62</b>	<b>1.32</b>
		28183000	0.62	1.32
	<b>Calcined alumina ( including other aluminium oxide</b>		<b>0</b>	<b>0</b>
		28182090	0	0
	<b>Calcined Bauxite</b>		<b>0</b>	<b>0</b>
		26060020	0	0
	<b>Processed Minerals n.e.s</b>		<b>0.08</b>	<b>2.94</b>
		25083030	0.02	0.93
		25083090	0.06	2
		25084090	0	0
		25201090	0	0.01
	<b>Quartz</b>		<b>0</b>	<b>0</b>
		25062090	0	0
	<b>Steatite</b>		<b>4.59</b>	<b>26</b>
		25262000	4.59	26
<b>SYRIA</b>			<b>710.7</b>	<b>5912.03</b>
	<b>Aluminium hydrate</b>		<b>102.32</b>	<b>640</b>
		28183000	102.32	640
	<b>Barytes</b>		<b>5.44</b>	<b>30</b>
		25111020	0	0
		25111090	5.44	30
	<b>Bentonite</b>		<b>83.98</b>	<b>1323.62</b>
		25081090	83.98	1323.62
	<b>Calcined alumina ( including other aluminium oxide</b>		<b>41.8</b>	<b>169.01</b>
		28182010	41.8	169.01
		28182090	0	0

<b>SYRIA</b>	<b>Iron oxide</b>		<b>15.35</b>	<b>110.4</b>
		28211010	15.35	110.4
	<b>Kaolin</b>		<b>7.15</b>	<b>34</b>
		25070021	0	0
		25070029	7.15	34
	<b>Processed Minerals n.e.s</b>		<b>438.28</b>	<b>3390</b>
		25084090	438.28	3390
		25199040	0	0
		25301090	0	0
	<b>Quartz</b>		<b>0</b>	<b>0</b>
		25062090	0	0
	<b>Silica Sand</b>		<b>7.71</b>	<b>100</b>
		25051019	7.71	100
	<b>Steatite</b>		<b>8.67</b>	<b>115</b>
		25262000	8.67	115
<b>TAIWAN</b>			<b>2037.45</b>	<b>23682.43</b>
	<b>Aluminium hydrate</b>		<b>483.03</b>	<b>3845</b>
		28183000	483.03	3845
	<b>Barytes</b>		<b>26.98</b>	<b>610</b>
		25111020	26.98	610
	<b>Bentonite</b>		<b>31.49</b>	<b>692.79</b>
		25081090	31.49	692.79
	<b>Calcined alumina ( including other aluminium oxide)</b>		<b>502.16</b>	<b>1835.31</b>
		28182010	499.87	1830.37
		28182090	2.29	4.94
	<b>Feldspar</b>		<b>573.75</b>	<b>14683.16</b>
		25291010	3.7	93.15
		25291020	570.05	14590.01
	<b>Garnet</b>		<b>59.5</b>	<b>594</b>
		25132030	59.5	594
	<b>Ilmenite</b>		<b>4.67</b>	<b>52</b>
		26140010	4.67	52
	<b>Iron oxide</b>		<b>2.3</b>	<b>10</b>
		25309070	0	0
		28211010	2.3	10
	<b>Kaolin</b>		<b>16.95</b>	<b>447</b>
		25070010	16.95	447
		25070029	0	0

**TAIWAN**

<b>Natural Graphite</b>		<b>1.39</b>	<b>3.5</b>
	25049090	1.39	3.5
<b>Processed Minerals n.e.s</b>		<b>317.91</b>	<b>750.67</b>
	25059000	276.51	364
	25083030	0	0
	25083090	0	0
	25084090	33.86	330.67
	25199040	5.92	44
	25199090	0	0
	25301010	1.62	12
	25301090	0	0
<b>Quartz</b>		<b>1.08</b>	<b>24</b>
	25061020	1.08	24
<b>Silica Sand</b>		<b>16.24</b>	<b>135</b>
	25051019	16.24	135

**TANZANIA REP**

		<b>159.57</b>	<b>2058.1</b>
<b>Aluminium hydrate</b>		<b>3.51</b>	<b>17.73</b>
	28183000	3.51	17.73
<b>Barytes</b>		<b>8.47</b>	<b>113.33</b>
	25111020	8.47	113.33
<b>Bentonite</b>		<b>6.66</b>	<b>242.86</b>
	25081090	6.66	242.86
<b>Dolomite</b>		<b>3.31</b>	<b>40</b>
	25183000	3.31	40
<b>Iron oxide</b>		<b>29.04</b>	<b>284.8</b>
	25309060	0	0
	25309070	3.56	46
	28211010	25.48	238.8
<b>Kaolin</b>		<b>9.59</b>	<b>138</b>
	25070010	1.42	16
	25070029	8.17	122
<b>Manganese dioxide</b>		<b>0</b>	<b>0</b>
	28201000	0	0
<b>Natural Graphite</b>		<b>11.43</b>	<b>48.02</b>
	25041010	2.93	2
	25041090	8.5	46.02
<b>Processed Minerals n.e.s</b>		<b>14.14</b>	<b>107.87</b>
	25059000	3.59	73.42
	25083090	0.15	4

<b>TANZANIA RE</b>	<b>Processed Minerals n.e.s</b>		
	25084090	2.5	6.1
	25090000	2.09	8.35
	25199040	0	0
	25201090	5.81	16
	<b>Quartz</b>	<b>11.98</b>	<b>301.79</b>
	25051020	0.48	3
	25061010	2.68	79.58
	25061020	7.06	197.39
	25062020	0	0
	25062090	1.76	21.82
	<b>Silica Sand</b>	<b>2.32</b>	<b>66.87</b>
	25051019	2.32	66.87
	<b>Sillimanite</b>	<b>18.61</b>	<b>219</b>
	25085031	18.61	219
	<b>Steatite</b>	<b>40.51</b>	<b>477.83</b>
	25262000	40.51	477.83
<b>THAILAND</b>		<b>4024.91</b>	<b>53785.13</b>
	<b>Aluminium hydrate</b>	<b>658.59</b>	<b>5478.31</b>
	28183000	658.59	5478.31
	<b>Ball Clay</b>	<b>0.02</b>	<b>0.8</b>
	25084010	0.02	0.8
	<b>Barytes</b>	<b>0</b>	<b>0</b>
	25111020	0	0
	<b>Bentonite</b>	<b>387.77</b>	<b>9432.37</b>
	25081090	387.77	9432.37
	<b>Calcined alumina ( including other aluminium oxide)</b>	<b>1132.52</b>	<b>3845.72</b>
	28182010	1132.41	3845.47
	28182090	0.11	0.25
	<b>Calcined Magnesite</b>	<b>26.8</b>	<b>65.6</b>
	25191000	26.8	65.6
	<b>Feldspar</b>	<b>971.38</b>	<b>26568.96</b>
	25291010	407.04	12552
	25291020	564.34	14016.96
	<b>Garnet</b>	<b>225.52</b>	<b>2165.63</b>
	25132030	225.52	2165.63
	<b>Iron oxide</b>	<b>85.44</b>	<b>543.64</b>
	25309060	2.41	28
	25309070	0	0
	28211010	83.03	515.64

**THAILAND**

<b>Kaolin</b>		<b>44.01</b>	<b>262.82</b>
	25070022	0.12	0.82
	25070029	43.89	262
<b>Manganese dioxide</b>		<b>0</b>	<b>0</b>
	28201000	0	0
<b>Natural Graphite</b>		<b>0</b>	<b>0</b>
	25049090	0	0
<b>Processed Minerals n.e.s</b>		<b>4.51</b>	<b>43</b>
	25059000	0	0
	25084090	2.88	21
	25199040	0	0
	25199090	0	0
	25301010	1.63	22
<b>Quartz</b>		<b>276.36</b>	<b>2960.49</b>
	25051020	0	0
	25061010	19.03	288
	25061020	172.36	2212.49
	25062010	0	0
	25062090	84.97	460
<b>Silica Sand</b>		<b>32.61</b>	<b>180</b>
	25051011	16.2	100
	25051019	16.41	80
<b>Sillimanite</b>		<b>8.99</b>	<b>52</b>
	25085032	3.37	20
	25085039	5.62	32
<b>Steatite</b>		<b>168.28</b>	<b>2174.58</b>
	25261010	0	0
	25261020	0	0
	25262000	168.28	2174.58
<b>Wollastonite</b>		<b>2.11</b>	<b>11.21</b>
	25309050	2.11	11.21

**TIMOR LESTE**

<b>Barytes</b>		<b>61.21</b>	<b>1217</b>
	25111020	61.21	1217
<b>Silica Sand</b>		<b>8.54</b>	<b>100</b>
	25051019	8.54	100

**TOGO**

<b>Iron oxide</b>		<b>1.54</b>	<b>19</b>
	25309060	1.54	19

<b>TRINIDAD</b>		<b>15.77</b>	<b>83.1</b>
<b>Garnet</b>		2.46	24
	25132030	2.46	24
<b>Iron oxide</b>		12.43	54
	28211010	12.43	54
<b>Steatite</b>		0.88	5.1
	25262000	0.88	5.1
<b>TUNISIA</b>		<b>133.14</b>	<b>2536.57</b>
<b>Aluminium hydrate</b>		20.33	220
	28183000	20.33	220
<b>Barytes</b>		4.08	108
	25111010	0	0
	25111020	4.08	108
<b>Bentonite</b>		3.48	100
	25081090	3.48	100
<b>Kaolin</b>		0.23	2
	25070029	0.23	2
<b>Processed Minerals n.e.s</b>		95.59	1937.25
	25059000	95.58	1937
	25199040	0.01	0.25
<b>Silica Sand</b>		4.65	100
	25051019	4.65	100
<b>Steatite</b>		4.78	69.32
	25262000	4.78	69.32
<b>TURKEY</b>		<b>747.94</b>	<b>22101.23</b>
<b>Aluminium hydrate</b>		15.02	22
	28183000	15.02	22
<b>Barytes</b>		0	0
	25111020	0	0
<b>Bentonite</b>		4.35	44.56
	25081090	4.35	44.56
<b>Calcined alumina ( including other aluminium oxide)</b>		72.68	207.66
	28182010	61.08	186.36
	28182090	11.6	21.3
<b>Feldspar</b>		464.86	19929.09
	25291010	460.48	19827
	25291020	4.38	102.09



<b>TURKEY</b>	<b>Garnet</b>		<b>60.45</b>	<b>836</b>
		25132030	60.45	836
	<b>Iron oxide</b>		<b>6.06</b>	<b>33.36</b>
		28211010	6.06	33.36
	<b>Kaolin</b>		<b>75.93</b>	<b>623</b>
		25070010	3.99	113
		25070029	71.94	510
	<b>Processed Minerals n.e.s</b>		<b>23.65</b>	<b>115.56</b>
		25199040	4	20
		25199090	0	0
		25301010	4.26	71.56
		25301020	0	0
		26140031	15.39	24
	<b>Quartz</b>		<b>0</b>	<b>0</b>
		25061020	0	0
		25062090	0	0
	<b>Silica Sand</b>		<b>0</b>	<b>0</b>
		25051019	0	0
	<b>Steatite</b>		<b>24.94</b>	<b>290</b>
		25261020	0	0
		25262000	24.94	290
<b>U ARAB EMTS</b>			<b>82404.61</b>	<b>663923.91</b>
	<b>Aluminium hydrate</b>		<b>42.28</b>	<b>180</b>
		28183000	42.28	180
	<b>Ball Clay</b>		<b>87.67</b>	<b>2711.06</b>
		25084010	87.67	2711.06
	<b>Barytes</b>		<b>1702.92</b>	<b>53401.24</b>
		25111010	1331.83	45197.6
		25111020	310.58	7653.64
		25111090	60.51	550
	<b>Bentonite</b>		<b>836.27</b>	<b>36383.86</b>
		25081010	72.1	8627.82
		25081090	764.17	27756.04
	<b>Calcined alumina ( including other aluminium oxide)</b>		<b>72984.16</b>	<b>403919.09</b>
		28182010	71424.8	397841.25
		28182090	1559.36	6077.84
	<b>Calcined Bauxite</b>		<b>6.98</b>	<b>50</b>
		26060020	6.98	50
	<b>Calcined Magnesite</b>		<b>9.99</b>	<b>63</b>

U ARAB EMT		Calcined Magnesite	25191000	9.99	63
<b>Dolomite</b>				<b>36.8</b>	<b>731.61</b>
		25181000		7.66	156.1
		25182000		5.13	76
		25183000		24.01	499.51
<b>Feldspar</b>				<b>538.11</b>	<b>18276.15</b>
		25291010		69.69	3763.6
		25291020		468.42	14512.55
<b>Garnet</b>				<b>3093.98</b>	<b>40945.98</b>
		25132030		3093.98	40945.98
<b>Iron oxide</b>				<b>241.9</b>	<b>854.84</b>
		25309060		6.36	71
		25309070		10.15	63
		28211010		225.39	720.84
<b>Kaolin</b>				<b>853.65</b>	<b>64147.97</b>
		25070010		737.49	59025.86
		25070021		0.67	22
		25070029		115.49	5100.11
<b>Manganese dioxide</b>				<b>7.37</b>	<b>18.78</b>
		28201000		7.37	18.78
<b>Natural Graphite</b>				<b>36.54</b>	<b>61.54</b>
		25041090		36.54	61.54
		25049090		0	0
<b>Processed Minerals n.e.s</b>				<b>331.1</b>	<b>3822.67</b>
		25059000		6.12	75.61
		25083010		0.15	16
		25083030		0.23	6.51
		25083090		0.23	8.24
		25084020		9.88	240.3
		25084090		140.63	2155.38
		25090000		0.09	2.52
		25199020		0	0
		25199040		65.69	491.36
		25199090		56.52	388.54
		25201010		0	0
		25201090		0.6	10
		25301010		19.84	297.51
		25301020		4.65	22
		25301090		0.57	4.1
		25309030		0.08	19.6
		26140031		25.82	85
		26140039		0	0
<b>Quartz</b>				<b>745.47</b>	<b>26241.36</b>

<b>U ARAB EMT</b>	<b>Quartz</b>	25051020	17.68	530
		25061010	12.63	191.47
		25061020	703.18	25224.58
		25062090	11.98	295.31
	<b>Silica Sand</b>		<b>20.65</b>	<b>281.09</b>
		25051011	5.38	95.3
		25051012	0	0
		25051019	15.27	185.79
	<b>Sillimanite</b>		<b>1.62</b>	<b>8.38</b>
		25085039	1.62	8.38
	<b>Steatite</b>		<b>827.15</b>	<b>11825.29</b>
		25261010	0.02	1
		25261020	198.51	4383.61
		25262000	628.62	7440.68
	<b>Wollastonite</b>		<b>0</b>	<b>0</b>
		25309050	0	0
<b>U K</b>			<b>1507.44</b>	<b>14318.2</b>
	<b>Ball Clay</b>		<b>0</b>	<b>0</b>
		25084010	0	0
	<b>Barytes</b>		<b>0.77</b>	<b>5</b>
		25111010	0.77	5
		25111020	0	0
	<b>Bentonite</b>		<b>122.68</b>	<b>1664.01</b>
		25081090	122.68	1664.01
	<b>Calcined alumina ( including other aluminium oxide)</b>		<b>275.37</b>	<b>1114.68</b>
		28182010	275.37	1114.68
	<b>Calcined Bauxite</b>		<b>3.1</b>	<b>25</b>
		26060020	3.1	25
	<b>Calcined Magnesite</b>		<b>10.62</b>	<b>92.5</b>
		25191000	10.62	92.5
	<b>Feldspar</b>		<b>0</b>	<b>0</b>
		25291010	0	0
		25291020	0	0
	<b>Garnet</b>		<b>679.89</b>	<b>8448.54</b>
		25132030	679.89	8448.54
	<b>Iron oxide</b>		<b>6.44</b>	<b>46</b>
		25309070	0	0
		28211010	6.44	46

<b>U K</b>	<b>Kaolin</b>	<b>41.58</b>	<b>226.83</b>
	25070010	0.19	1.2
	25070022	0.04	0.45
	25070029	41.35	225.18
	<b>Natural Graphite</b>	<b>172.8</b>	<b>177.53</b>
	25041090	0.39	0.1
	25049090	172.41	177.43
	<b>Processed Minerals n.e.s</b>	<b>11.21</b>	<b>125.23</b>
	25059000	0.24	22.86
	25083010	0	0
	25083030	0.51	8.13
	25083090	0.88	40
	25084020	0	0
	25084090	3.99	28.84
	25090000	0	0
	25199040	4.61	24.68
	25301090	0.98	0.72
	<b>Quartz</b>	<b>12.65</b>	<b>105</b>
	25061010	0	0
	25061020	0	0
	25062090	12.65	105
	<b>Silica Sand</b>	<b>9.61</b>	<b>912.24</b>
	25051019	9.61	912.24
	<b>Steatite</b>	<b>67.23</b>	<b>695.64</b>
	25261010	11.83	147.5
	25262000	55.4	548.14
	<b>Wollastonite</b>	<b>93.49</b>	<b>680</b>
	25309050	93.49	680
<b>U S A</b>		<b>5676.04</b>	<b>79937.42</b>
	<b>Aluminium hydrate</b>	<b>6.87</b>	<b>27.14</b>
	28183000	6.87	27.14
	<b>Barytes</b>	<b>1433.25</b>	<b>45500</b>
	25111010	1433.25	45500
	25111020	0	0
	<b>Calcined alumina ( including other aluminium oxide)</b>	<b>2465.78</b>	<b>9310.56</b>
	28182010	2431.04	9227.45
	28182090	34.74	83.11
	<b>Calcined Bauxite</b>	<b>5.01</b>	<b>147.21</b>
	26060020	5.01	147.21
	<b>Feldspar</b>	<b>0</b>	<b>0</b>
	25291020	0	0

<b>Garnet</b>		<b>1475.31</b>	<b>23327</b>
	25132030	1475.31	23327
<b>Iron oxide</b>		<b>19.27</b>	<b>289.94</b>
	25309070	4.91	61
	28211010	14.36	228.94
<b>Kaolin</b>		<b>82.61</b>	<b>272.01</b>
	25070010	0	0.12
	25070021	0	0
	25070029	82.61	271.89
<b>Manganese dioxide</b>		<b>6.88</b>	<b>20.09</b>
	28201000	6.88	20.09
<b>Natural Graphite</b>		<b>7.8</b>	<b>5.1</b>
	25041090	0.03	0.1
	25049090	7.77	5
<b>Processed Minerals n.e.s</b>		<b>26.79</b>	<b>188.88</b>
	25059000	0.03	2
	25083010	0	0
	25083030	1.75	19.88
	25083090	5.38	35.74
	25084020	11.25	38.42
	25084090	1.61	24.27
	25090000	0.45	2
	25199040	0.51	15.02
	25199090	0	0.17
	25301010	4.18	44.05
	25301090	0.32	7.33
	25309030	1.31	0
	26140039	0	0
<b>Quartz</b>		<b>45.38</b>	<b>219.58</b>
	25051020	6.21	100
	25061010	0	0
	25061020	0.01	0.06
	25062090	39.16	119.52
<b>Silica Sand</b>		<b>11.21</b>	<b>97.2</b>
	25051019	11.21	97.2
<b>Steatite</b>		<b>39.29</b>	<b>211.23</b>
	25261010	23.11	32.25
	25261020	5.01	20.16
	25262000	11.17	158.82
<b>Wollastonite</b>		<b>50.59</b>	<b>321.48</b>
	25309050	50.59	321.48

<b>UGANDA</b>		<b>75.67</b>	<b>611.26</b>
<b>Aluminium hydrate</b>		<b>7.5</b>	<b>63.45</b>
	28183000	7.5	63.45
<b>Bentonite</b>		<b>1.08</b>	<b>10</b>
	25081090	1.08	10
<b>Calcined Magnesite</b>		<b>0</b>	<b>0</b>
	25199030	0	0
<b>Dolomite</b>		<b>1.37</b>	<b>12</b>
	25183000	1.37	12
<b>Feldspar</b>		<b>0</b>	<b>0</b>
	25291020	0	0
<b>Iron oxide</b>		<b>24.75</b>	<b>34.5</b>
	28211010	24.75	34.5
<b>Natural Graphite</b>		<b>4.62</b>	<b>24.01</b>
	25041090	4.13	22.01
	25049090	0.49	2
<b>Processed Minerals n.e.s</b>		<b>8.27</b>	<b>144.8</b>
	25059000	7.06	127.63
	25083020	0.23	8
	25083030	0	0
	25083090	0.63	5
	25090000	0	0
	25199090	0.23	3.35
	25201090	0	0
	25301020	0.12	0.82
<b>Quartz</b>		<b>26.65</b>	<b>295.5</b>
	25061020	17.03	275.5
	25062090	9.62	20
<b>Silica Sand</b>		<b>1.41</b>	<b>26</b>
	25051019	1.41	26
<b>Steatite</b>		<b>0.02</b>	<b>1</b>
	25262000	0.02	1
<b>UKRAINE</b>		<b>195916.46</b>	<b>1277552.9</b>
<b>Bentonite</b>		<b>2413.41</b>	<b>78465</b>
	25081090	2413.41	78465
<b>Calcined alumina ( including other aluminium oxide)</b>		<b>193297.1</b>	<b>1198367</b>
	28182010	193297.1	1198367
<b>Garnet</b>		<b>13.82</b>	<b>181</b>
	25132030	13.82	181

**UKRAINE**

<b>Iron oxide</b>		<b>0</b>	<b>0</b>
	28211010	0	0
<b>Processed Minerals n.e.s</b>		<b>181.47</b>	<b>460.6</b>
	25199040	0	0
	25301010	1.1	19.6
	26140031	180.37	441
<b>Quartz</b>		<b>2.52</b>	<b>25.3</b>
	25062090	2.52	25.3
<b>Steatite</b>		<b>8.14</b>	<b>54</b>
	25262000	8.14	54

**UNION OF SERBIA & MONTENEGRO**

<b>Garnet</b>		<b>0</b>	<b>0</b>
	25132030	0	0
<b>Quartz</b>		<b>0</b>	<b>0</b>
	25062090	0	0

**UNSPECIFIED**

		<b>573.56</b>	<b>26703.7</b>
<b>Aluminium hydrate</b>		<b>0</b>	<b>0</b>
	28183000	0	0
<b>Ball Clay</b>		<b>1.88</b>	<b>48</b>
	25084010	1.88	48
<b>Barytes</b>		<b>1.46</b>	<b>10</b>
	25111010	0	0
	25111020	1.46	10
	25111090	0	0
<b>Bentonite</b>		<b>408.5</b>	<b>23680</b>
	25081090	408.5	23680
<b>Calcined Bauxite</b>		<b>4.29</b>	<b>20</b>
	26060020	4.29	20
<b>Feldspar</b>		<b>46.25</b>	<b>1289</b>
	25291010	0	0
	25291020	46.25	1289
<b>Iron oxide</b>		<b>0</b>	<b>0</b>
	28211010	0	0
<b>Kaolin</b>		<b>24.5</b>	<b>358.67</b>
	25070029	24.5	358.67
<b>Natural Graphite</b>		<b>0.8</b>	<b>2</b>
	25049090	0.8	2

**UNSPECIFIED**

<b>Processed Minerals n.e.s</b>		<b>2.63</b>	<b>49.03</b>
	25059000	1.97	23
	25083090	0	0.03
	25084090	0.66	26
	25199040	0	0
	25201010	0	0
	25301010	0	0
<b>Quartz</b>		<b>17.36</b>	<b>592</b>
	25061010	7.74	246
	25061020	9.62	346
	25062090	0	0
<b>Silica Sand</b>		<b>0</b>	<b>0</b>
	25051011	0	0
	25051019	0	0
<b>Steatite</b>		<b>35.25</b>	<b>431</b>
	25261020	2.61	27
	25262000	32.64	404
<b>Wollastonite</b>		<b>30.64</b>	<b>224</b>
	25309050	30.64	224

**URUGUAY**

		<b>329.22</b>	<b>2350</b>
<b>Aluminium hydrate</b>		<b>325.08</b>	<b>2310</b>
	28183000	325.08	2310
<b>Bentonite</b>		<b>4.14</b>	<b>40</b>
	25081090	4.14	40
<b>Processed Minerals n.e.s</b>		<b>0</b>	<b>0</b>
	25199040	0	0

**UZBEKISTAN**

		<b>0</b>	<b>0</b>
<b>Garnet</b>		<b>0</b>	<b>0</b>
	25132030	0	0
<b>Steatite</b>		<b>0</b>	<b>0</b>
	25262000	0	0

**VENEZUELA**

		<b>2442.99</b>	<b>45992.95</b>
<b>Barytes</b>		<b>2417.24</b>	<b>45596.35</b>
	25111010	0	0
	25111020	2417.24	45596.35
<b>Bentonite</b>		<b>11.9</b>	<b>193.58</b>
	25081090	11.9	193.58
<b>Feldspar</b>		<b>5.49</b>	<b>100</b>
	25291020	5.49	100



**VENEZUELA**

<b>Garnet</b>		<b>2.25</b>	<b>28</b>
	25132030	2.25	28
<b>Iron oxide</b>		<b>0.01</b>	<b>0.02</b>
	28211010	0.01	0.02
<b>Kaolin</b>		<b>1.13</b>	<b>10</b>
	25070029	1.13	10
<b>Wollastonite</b>		<b>4.97</b>	<b>65</b>
	25309050	4.97	65

**VIETNAM SOC REP**

		<b>4774.14</b>	<b>88285.89</b>
<b>Aluminium hydrate</b>		<b>61</b>	<b>169</b>
	28183000	61	169
<b>Barytes</b>		<b>12.31</b>	<b>65</b>
	25111020	12.31	65
	25111090	0	0
<b>Bentonite</b>		<b>308.2</b>	<b>8847.88</b>
	25081090	308.2	8847.88
<b>Calcined alumina ( including other aluminium oxide)</b>		<b>118.5</b>	<b>456.42</b>
	28182010	118.5	456.42
<b>Feldspar</b>		<b>1622.39</b>	<b>40878.88</b>
	25291010	96.23	2494.44
	25291020	1526.16	38384.44
<b>Garnet</b>		<b>1.68</b>	<b>20</b>
	25132030	1.68	20
<b>Iron oxide</b>		<b>7.07</b>	<b>45.37</b>
	28211010	7.07	45.37
<b>Kaolin</b>		<b>0</b>	<b>0</b>
	25070022	0	0
<b>Processed Minerals n.e.s</b>		<b>813.74</b>	<b>12975.7</b>
	25084090	0	0
	25090000	0	0
	25199040	0	0
	25199090	813.74	12975.7
<b>Quartz</b>		<b>1771.59</b>	<b>24196.41</b>
	25061010	333.65	5049.08
	25061020	657.02	9568.27
	25062090	780.92	9579.06
<b>Silica Sand</b>		<b>36.33</b>	<b>415.95</b>

<b>VIETNAM SO</b>	<b>Silica Sand</b>	25051011	28.44	318
		25051019	7.89	97.95
	<b>Steatite</b>		<b>21.33</b>	<b>215.28</b>
		25262000	21.33	215.28
<b>YEMEN REPUBLIC</b>			<b>610.05</b>	<b>14244.17</b>
	<b>Barytes</b>		<b>389.4</b>	<b>9238.94</b>
		25111020	389.4	9238.94
	<b>Bentonite</b>		<b>108.84</b>	<b>3329.2</b>
		25081090	108.84	3329.2
	<b>Dolomite</b>		<b>7.18</b>	<b>216</b>
		25183000	7.18	216
	<b>Feldspar</b>		<b>0</b>	<b>0</b>
		25291020	0	0
	<b>Garnet</b>		<b>37.13</b>	<b>362</b>
		25132030	37.13	362
	<b>Iron oxide</b>		<b>0</b>	<b>0</b>
		28211010	0	0
	<b>Kaolin</b>		<b>0</b>	<b>0</b>
		25070029	0	0
	<b>Processed Minerals n.e.s</b>		<b>24.82</b>	<b>254.03</b>
		25083030	5.57	152.03
		25084090	19.25	102
		25090000	0	0
		25199090	0	0
	<b>Quartz</b>		<b>14.05</b>	<b>318</b>
		25061020	14.05	318
	<b>Steatite</b>		<b>28.63</b>	<b>526</b>
		25262000	28.63	526
<b>ZAMBIA</b>			<b>26.57</b>	<b>43.41</b>
	<b>Aluminium hydrate</b>		<b>0.5</b>	<b>0.5</b>
		28183000	0.5	0.5
	<b>Barytes</b>		<b>0.09</b>	<b>3.48</b>
		25111020	0.09	3.48
	<b>Bentonite</b>		<b>0.24</b>	<b>4.41</b>
		25081090	0.24	4.41
	<b>Iron oxide</b>		<b>18.02</b>	<b>20</b>
		28211010	18.02	20

<b>ZAMBIA</b>			
<b>Natural Graphite</b>		<b>0.08</b>	<b>0.02</b>
	25049010	0.08	0.02
<b>Processed Minerals n.e.s</b>		<b>7.64</b>	<b>15</b>
	25083030	7.64	15
<b>ZIMBABWE</b>		<b>7.45</b>	<b>105.64</b>
<b>Aluminium hydrate</b>		<b>3.6</b>	<b>11.44</b>
	28183000	3.6	11.44
<b>Processed Minerals n.e.s</b>		<b>0</b>	<b>0</b>
	25090000	0	0
<b>Quartz</b>		<b>3.85</b>	<b>94.2</b>
	25061020	3.85	94.2
<b>Grand Total</b>		<b>1133438.3</b>	<b>10375682.11</b>